

DRAWN BY: SKD APPROVED: JV CAD DATE: January 4, 2017

BAR IS ONE INCH ON OFFICIAL DRAWINGS.

0 1" 2016 JOB DATE: JOB NUMBER: 86160398 IF NOT ONE INCH, ADJUST SCALE ACCORDINGLY. CAD FILE: <u>0:\86160398\CAD\Dwgs\86160398_Sign_Location_Exhibit_wayfinding.dwg</u>


NO. DATE BY REVISION DESCRIPTION

ILLINOIS DESIGN FIRM # 184.001322 420 N. FRONT STREET, SUITE 100 McHENRY, ILLINOIS 60050 McHenry HRGreen PHONE: 815.385.1778 | TOLL FREE: 800.728.7805 FAX: 815.385.1781 | HRGreen.com

County College McHENRY, ILLINOIS

MCC CAMPUS SIGN PACKAGE WAYFINDING SIGNS

OVERALL SIGN LOCATION








NOTES:


- 1. BASE BID: ONLY TRAFFIC DIRECTIONAL SIGNS 1.1. 1.5 AND 1.8 SHALL HAVE BACK LIT TEXT FOR THE BASE BID. ALL OTHER TRAFFIC DIRECTIONAL SIGNS SHALL HAVE 280-10 GERBER WHITE REFLECTIVE
- 2. ALTERNATE BID: ALL TRAFFIC DIRECTIONAL SIGNS SHALL HAVE BACK LIT TEXT.
- 3. ALL TRAFFIC DIRECTIONAL SIGNS SHALL HAVE REMOVAL PANELS. A BLANK PURPLE PANEL SHALL BE PROVIDED FOR EACH INSTANCE OF THE "SCIENCE CENTER" TEXT AND INSTALLED IN PLACE OF THE "SCIENCE CENTER" PANELS. THE "SCIENCE CENTER" PANELS SHALL BE PROVIDED TO THE COLLEGE FOR THEM TO INSTALL AT A LATER DATE.
- 4. EACH SIGN SHALL HAVE ENOUGH BLANK PURPLE PANELS MADE TO FILL THE SIGN AS SHOWN IN THE GRAPHICS ABOVE. (30 BLANK PURPLE PANELS FOR ALL TRAFFIC DIRECTIONAL SIGNS)
- 5. SIGNS SHALL ALWAYS CANTILEVER TOWARDS THE ROAD
- 6. SEE SHEET C.07 FOR DETAILS.











INSTITUTIONAL COLORS

PANTONE 267 CVC PANTONE 268 CVU CMYK: 88, 99, 1, 0 RGB: 75, 49, 144 WEB: 4b3190

NOTES: 1. BROWN BASE TO BE 'ALTON BROWN' TO MATCH THE BASE OF THE EXISTING MONUMENT SIGNS

2. BROWN AND OFF-WHITE COLORS TO BE SAMPLED AND SUBMITTED TO HR GREEN AND MCC FOR **REVIEW AND APPROVAL**





MCC CAMPUS SIGN PACKAGE WAYFINDING SIGNS

TRAFFIC DIRECTIONAL


SHEET NO.

BAR IS ONE INCH ON DRAWN BY: SKD 2016 JOB DATE: OFFICIAL DRAWINGS. JOB NUMBER: 86160398 APPROVED: JV IF NOT ONE INCH, CAD DATE: January 4, 2017 ADJUST SCALE ACCORDINGLY. CAD FILE: <u>0:\86160398\CAD\Dwgs\86160398_Sign_Location_Exhibit_wayfinding.dwg</u>

NO. DATE

REVISION DESCRIPTION








NOTES:


- 1. BASE BID: ONLY TRAFFIC DIRECTIONAL SIGNS 1.1, 1.5 AND 1.8 SHALL HAVE BACK LIT TEXT FOR THE BASE BID. ALL OTHER TRAFFIC DIRECTIONAL SIGNS SHALL HAVE 280-10 GERBER WHITE REFLECTIVE
- 2. ALTERNATE BID: ALL TRAFFIC DIRECTIONAL SIGNS SHALL HAVE BACK LIT TEXT.
- 3. ALL TRAFFIC DIRECTIONAL SIGNS SHALL HAVE REMOVAL PANELS. A BLANK PURPLE PANEL SHALL BE PROVIDED FOR EACH INSTANCE OF THE "SCIENCE CENTER" TEXT AND INSTALLED IN PLACE OF THE "SCIENCE CENTER" PANELS. THE "SCIENCE CENTER" PANELS SHALL BE PROVIDED TO THE COLLEGE FOR THEM TO INSTALL AT A LATER DATE.
- 4. EACH SIGN SHALL HAVE ENOUGH BLANK PURPLE PANELS MADE TO FILL THE SIGN AS SHOWN IN THE GRAPHICS ABOVE. (30 BLANK PURPLE PANELS FOR ALL TRAFFIC DIRECTIONAL SIGNS)
- 5. SIGNS SHALL ALWAYS CANTILEVER TOWARDS THE ROAD
- 6. SEE SHEET C.07 FOR DETAILS.











TRAFFIC DIRECTIONAL (2 SIDED)




PANTONE 267 CVC PANTONE 268 CVU CMYK: 88, 99, 1, 0 RGB: 75, 49, 144 WEB: 4b3190

INSTITUTIONAL COLORS

NOTES: 1. BROWN BASE TO BE 'ALTON BROWN' TO MATCH THE BASE OF THE EXISTING MONUMENT SIGNS

2. BROWN AND OFF-WHITE COLORS TO BE SAMPLED AND SUBMITTED TO HR GREEN AND MCC FOR **REVIEW AND APPROVAL**





MCC CAMPUS SIGN PACKAGE WAYFINDING SIGNS

SHEET NO.


BAR IS ONE INCH ON DRAWN BY: SKD JOB DATE: 2016 OFFICIAL DRAWINGS. JOB NUMBER: 86160398 APPROVED: JV IF NOT ONE INCH, CAD DATE: January 4, 2017 ADJUST SCALE ACCORDINGLY. CAD FILE: <u>0:\86160398\CAD\Dwgs\86160398_Sign_Location_Exhibit_wayfinding.dwg</u>

NO. DATE

REVISION DESCRIPTION

FAX: 815.385.1781 | HRGreen.com

TRAFFIC DIRECTIONAL




 $2.1 \land \frac{\text{BUILDING/SERVICE IDENTIFICATION (WALL MOUNTED 1)}}{\text{SCALE: 1" = 1'-0"}}$







 $2.2 \land \frac{\text{BUILDING/SERVICE IDENTIFICATION (TYPE 2)}}{\text{SCALE: 1" = 1'-0"}} \qquad \qquad 2.3 \land \frac{\text{BUILDING/SERVICE IDENTIFICATION (TYPE 1)}}{\text{SCALE: 1" = 1'-0"}} \qquad \qquad 2.1 \boxminus \frac{\text{BUILDING/SERVICE IDENTIFICATION (WALL MOUNTED 2)}}{\text{SCALE: 1" = 1'-0"}}$



BUILDING/SERVICE IDENTIFICATION (TYPE 2)

2.1 C BUILDING/SERVICE IDENTIFICATION (TYPE 1)

BUILDING C

POLICE

CHILDREN'S LEARNING CENTER

MCC CAFE

SCOT ROOM

VETERANS CENTER

MCC IS A TOBACCO FREE CAMPUS



SCALE: 1" = 1'-0"



BUILDING/SERVICE IDENTIFICATION (TYPE 2)

SCALE: 1" = 1'-0"



2.2 $\equiv \frac{\text{BUILDING/SERVICE IDENTIFICATION (TYPE 2)}}{\text{SCALE: 1" = 1'-0"}}$

NOTES:

81

now what's **below. Call** before you dig.

- 1. BASE BID: ALL BUILDING AND SERVICE IDENTIFICATION SIGNS SHALL HAVE 280-10 GERBER WHITE REFLECTIVE TEXT.
- 2. ALTERNATE BID: ALL BUILDING AND SERVICE IDENTIFICATION SIGNS SHALL HAVE BACK LIT TEXT.
- 3. ALL BUILDING AND SERVICE IDENTIFICATION SIGNS SHALL HAVE REMOVAL PANELS.
- 4. EACH SIGN SHALL HAVE ENOUGH BLANK PURPLE PANELS MADE TO FILL THE SIGN AS SHOWN IN THE GRAPHICS ABOVE. (14 BLANK PURPLE PANELS FOR ALL BUILDING/SERVICE IDENTIFICATION SIGNS)
- 5. SEE SHEET C.07/C.08 FOR DETAILS.






NOTES:

1. BROWN BASE TO BE 'ALTON BROWN' TO MATCH THE BASE OF THE EXISTING MONUMENT SIGNS

2. BROWN AND OFF-WHITE COLORS TO BE SAMPLED AND SUBMITTED TO HR GREEN AND MCC FOR REVIEW AND APPROVAL

BAR IS ONE INCH ON DRAWN BY: SKD JOB DATE: 2016 OFFICIAL DRAWINGS. JOB NUMBER: 86160398 APPROVED: JV IF NOT ONE INCH, CAD DATE: January 4, 2017 ADJUST SCALE ACCORDINGLY. CAD FILE: <u>0:\86160398\CAD\Dwgs\86160398_Sign_Location_Exhibit_wayfinding.dwg</u>

NO. DATE REVISION DESCRIPTION






MCC CAMPUS SIGN PACKAGE WAYFINDING SIGNS

BUILDING/SERVICE IDENTIFICATION

SHEET NO. C.05




 $\frac{\text{BUILDING IDENTIFICATION - WALL MOUNTED}}{\text{SCALE: 1" = 1'-0"}}$

QUANTITY: 3 **QUANTITY: 2**


 $\frac{\text{BUILDING IDENTIFICATION - WALL MOUNTED}}{\text{SCALE: 1" = 1'-0"}}$



 $\frac{\text{BUILDING IDENTIFICATION - WALL MOUNTED}}{\text{SCALE: 1" = 1'-0"}}$



 $\frac{\text{BUILDING IDENTIFICATION - WALL MOUNTED}}{\text{SCALE: 1" = 1'-0"}}$




3 - BUILDING IDENTIFICATION - WALL MOUNTED $\frac{}{}$ SCALE: 1" = 1'-0"

NOTES:

1. ALL WALL MOUNTED BUILDING IDENTIFICATION SIGNS ARE TO BE BACK LIT AND POWERED WITH SOLAR PANELS, WHICH SHOULD BE MOUNTED TO THE BUILDING ROOF.

2. SEE SHEET C.08 FOR DETAILS.



INSTITUTIONAL COLORS


PANTONE 267 CVC PANTONE 268 CVU CMYK: 88, 99, 1, 0 RGB: 75, 49, 144 WEB: 4b3190




NOTES: 1. OFF-WHITE COLOR TO BE SAMPLED AND SUBMITTED TO HR GREEN AND MCC FOR REVIEW AND APPROVAL

now what's **below. Call** before you dig.

DRAWN BY:	SKD	JOB DATE:	2016	BAR IS ONE INCH ON OFFICIAL DRAWINGS.				
APPROVED:	JV	JOB NUMBER:	86160398	0 1"				
CAD DATE:	January 4, 2017		IF NOT ONE INCH, ADJUST SCALE ACCORDINGLY.					
CAD FILE:	0:\86160398\CAD\Dwgs\86160398_Sign_Location_Exhibit_wayfinding.dwg							








MCC CAMPUS SIGN PACKAGE WAYFINDING SIGNS

WALL MOUNTED BUILDING IDENTIFICATION






TRAFFIC DIRECTIONAL

SCALE: 1" = 1'-0"


DRAWN BY: SKD	JOB DATE:	2016	BAR IS ONE INCH ON OFFICIAL DRAWINGS.	NO.	DATE	BY	REVISION DESCRIPTION
APPROVED: JV	JOB NUMBER:	86160398	01"				
CAD DATE: January 4, 2017		IF NOT ONE INCH, ADJUST SCALE ACCORDINGLY.					
CAD FILE: 0:\86160398\CAD\Dwgs\86160398_Sign_Location_Exhibit_wayfinding.dwg							






MCC CAMPUS SIGN PACKAGE WAYFINDING SIGNS

TYPICAL SIGN DIMENSIONS








BAR IS ONE INCH ON OFFICIAL DRAWINGS.

0 1" DRAWN BY: SKD _____ JOB DATE: <u>2016</u> NO. DATE BY REVISION DESCRIPTION JOB NUMBER: <u>86160398</u> APPROVED: JV IF NOT ONE INCH, CAD DATE: January 4, 2017 ___ ADJUST SCALE ACCORDINGLY. CAD FILE: <u>0:\86160398\CAD\Dwgs\86160398_Sign_Location_Exhibit_wayfinding.dwg</u>






MCC CAMPUS SIGN PACKAGE WAYFINDING SIGNS

TYPICAL SIGN DIMENSIONS

PLAN VIEW: #5 COLUMN BARS (TYP.) #4 CROSS BARS (TYP.) "6-' #5 TOP BARS (TYP.) CONCRETE FOOTING (TYP.)

SECTION VIEW:




NOTES:

IDOT CLASS SI CONCRETE (F'C=3500 PSI)

TRAFFIC DIRECTIONAL FOOTING


CONSTRUCT IN ACCORDANCE WITH SECTION 734 OF THE IDOT STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION (CONCRETE FOUNDATIONS FOR SIGN STRUCTURES)

PLAN VIEW:



SECTION VIEW:

BUILDING AND SERVICE ID FOOTING



LOCATION

- CONTRACTOR TO FIELD LOCATED ALL SIGNS WITH HR GREEN AND MCHENRY COUNTY COLLEGE.
- FINAL SIGN LOCATIONS TO BE STAKED IN THE FIELD AND TO BE REVIEWED AND APPROVED BY MCHENRY COUNTY COLLEGE PRIOR TO INSTALLATION.

TYPE AND <u>DIMENSIONS OF SIGN</u>


- SIGN SHELLS TO BE MANUFACTURED OUT OF SHEET ALUMINUM AND COMPLETELY ENCLOSED AND SEALED WITH APPROPRIATE WATERPROOFING SEALANT AND FASTENERS. FRAMING AND STRUCTURAL SUPPORT TO BE MANUFACTURED OUT OF STEEL AND ALUMINUM AND DESIGNED/ENGINEERED BY THE SIGN MANUFACTURER. SHOP DRAWINGS DEPICTING STRUCTURAL DESIGN INTENT AND ELECTRICAL/LIGHTING DESIGN TO BE SUBMITTED TO HR GREEN FOR APPROVAL. ALL STRUCTURAL DESIGNS SHALL BE SIGNED/SEALED BY A LICENSED STRUCTURAL ENGINEER.
- OFFICIAL MCHENRY COUNTY COLLEGE LOGO AND PANTONE COLOR SCHEME TO BE USED. SIGN SHALL BE PAINTED WITH A HIGH QUALITY ENAMEL FINISH, SMOOTH AND FREE OF BLEMISHES.
- ALL BACK LIT TEXT (SEE BASE BID AND ALTERNATIVE BID) INCLUDING THE MCHENRY COUNTY COLLEGE LOGO SHALL BE MANUFACTURED OUT OF TRANSLUCENT/TRUE WHITE POLY CARBONATE AND ILLUMINATED (BACKLIT) FROM INSIDE THE SIGN. TEXT IS TO HAVE A CRISP LOOK WHEN ILLUMINATED AND HAVE A HIGH CONTRAST EFFECT BOTH DURING THE DAY AND AT NIGHT. CONTRACTOR TO PROVIDE SHOP DRAWINGS FOR PROPOSED LUMENS TO PRODUCE THIS EFFECT.
- SHOP DRAWINGS DEPICTING TEXT AND LOGO DESIGN/MANUFACTURING INTENT SHALL BE SUBMITTED TO HR GREEN FOR APPROVAL.
- IT IS RECOMMENDED THAT THE SIGN MANUFACTURER REVIEW ALL DIMENSIONS AND SPECIFICATIONS AND PROVIDE INPUT TO HR GREEN TO ENSURE AN EFFICIENT USE OF MATERIAL WHILE MAINTAINING THE DESIGN INTENT OF THE SIGN. ANY CHANGES TO THE DESIGN, DIMENSIONS, OR SPECIFICATIONS MUST BE APPROVED BY HR GREEN.

INSTALLATION SPECIFICATIONS

- ALL FASTENERS SHALL BE STAINLESS STEEL AND HIDDEN FROM VIEW IF POSSIBLE. NO FASTENERS SHALL BE VISIBLE ON WALL MOUNTED SIGNS.
- TOP OF FOUNDATION SHALL BE FLUSH WITH FINISHED GRADE WITH APPROPRIATE WEEP HOLES, GRADE SLOPE, AND WATER PROOFING MATERIAL IMPLEMENTED TO ENSURE MINIMUM RISK OF RUST OR OTHER WATER DAMAGE.
- ALL DISTURBED AREAS SHALL BE RESTORED, INCLUDING BUT NOT LIMITED TO: TRENCHES DUG FOR UTILITY INSTALLATION, GRADING, DISTURBED AREAS DUE TO CONSTRUCTION VEHICLES, ETC.
- CONTRACTOR SHALL LOCATE ALL UTILITIES PRIOR TO CONSTRUCTION BY CONTACTING J.U.L.I.E.
- CONTRACTOR IS TO OBTAIN ALL CITY PERMITS NECESSARY PRIOR TO CONSTRUCTION. PERMITS SHALL BE SUBMITTED TO HR GREEN FOR RECORD.



7							
DRAWN BY: SKD	JOB DATE:	2016	BAR IS ONE INCH ON OFFICIAL DRAWINGS.	NO.	DATE	BY	
APPROVED: JV	JOB NUMBER:	86160398	0 1 "				
CAD DATE: January 4, 201	7						
CAD DATE: <u>January 4, 201</u>			ADJUST SCALE ACCORDINGLY.				
CAD FILE: <u>0:\86160398\</u> C	AD\Dwgs\861603	<u>398_Sign_Location_Ex</u>	khibit_wayfinding.dwg				







MCC CAMPUS SIGN PACKAGE WAYFINDING SIGNS

TYPICAL SIGN DETIALS AND NOTES

SHEET NO. C.09