


<form></form>	CONTROL				o.	1	ER	DSION C	ONTROL NOTES		SPECIFICATION	S&C	ENERAL NOTES	
<form></form>	MEASURE	CONTROL MEASURE	KEY APP	CONTROL MEASURE CHARACTERISTICS	EW	ERM							Disturbed areas shall be stabilized with temporary or permanent measures within 7 caler active disturbance, or redistubance, consistent with the following criteria:	ndar days following the end of
	0/100/			DROWNES OVER TEUROPARY COVER TO CONTROL EROSION MADE REPUMARY		<i>c</i> .					e provisions of the NPDES Permit Number issued by the Illinois Environmenta om Construction Site Activities.		(i) Appropriate temporary or permanent stabilization measures shall include seeding, mu	ulching, sodding, and/or
					×	_	All erosion control No load deturbing	measures shall be i	installed prior to the start of construction.		onstruction activity which is the subject of this plan-			
		PERMANENT SEEDING				x	received by govern begin until all per	ing authorities, in ad meter erosion and s	dition to, no land clearing or grading shall ediment control measures have been installed.	The proposed development consists of construction activities for site improver	construction of excavation, reshaping, and restoration of existing pond. The ments will include: site clearing, grubbing, mass grading, pavement construct	on,	Soil storage piles containing more than 10 cu. yds. of material shall not be located with less than 25 feet to a roadway or drainage channel. Filter barriers, including straw bak	h a downslope drainage length les, filter fence, or equivalent, sha
	VEGETATIVE SOIL COVER	DORMANT SEEDING	6	SAME AS PERMANENT SEEDING EXCEPT IS DONE DURING DORMANT SEASON. HIGHER RATES OF SEED APPLICATION ARE REQUIRED.			(Including storm a	ater pollution preveni bil erosion measures	tion plan per the development criteria.) are deemed necessary by the City Engineer or				be installed immediately on the down slope of the piles.	
		SODDING	6	QUICK PERMANENT COVER TO CONTROL EROSION. QUICK WAY TO ESTABLISH VEGETATION FULTER STRIP. CAN BE USED ON STEEP SLOPES OF IN			his representative. contractor.	These measures m	ust be immediately implemented by the			п	e Owner, or Owner's representative shall provide qualified personnel to inspect disturbed a	areas of the construction site
				DRAINAGEWAYS WHERE SEEDING MAY BE DIFFICULT.	$\left \right $	_	 The general contro plan (swppp) durin 	ctor shall strictly ad g construction opera	here to the storm water pollution prevention tions.			1	nion nove not been finally stabilized, structural control measures and location where venici ispections shall be conducted at least once every seven (7) calendar days within 24 hours 15 inches or greater or equivalent snowfall.	s of the end of a storm that is
		GROUND COVER	6	VEGETATION, MAY BE USED AS PART OF A FINAL LANDSCAPE PLAN ALONG WITH SHRUBS AND TREES.			* Topsoli shall be s	ripped in designated	areas prior to filling				Disturbed areas and areas used for storage of materials that are exposed to precipital exidence of or the potential for pollutants entering the drainage system. From and	ation shall be inspected for
		MULCHING	XM	ADDED INSURANCE OF A SUCCESSFUL TEMPORARY OR PERMANENT SEEDING. CONTROLS UNMANTED VEGETATION AND PRESERVES MOISTURE. PROVIDES	x					2. Controls.			identified in the plan shall be observed to ensure that they are operating correctly. W are accessible, they shall be inspected to ascertain whether erosion control measures in	Where discharge locations or points are effective in preventing
				COVER WHERE VEGETATION CANNOT BE ESTABLISHED.	<u> </u>	_	specified.		in the days, the site situal be beened us	This section of the plan addresses the vari activities described in 1.b above. For each indicated Each such contractor has signed	ious controls that will be implemented for each of the major construction i measure discussed, the contractors will be responsible for its implementation if the contract of the contractors will be responsible to a space.	n as	significant impacts to receiving waters. Locations where venicles enter or exit the site of off-site sediment tracking.	e snall be inspected for evidence
	VEGETATIVE SOIL COVER	AGGREGATE COVER	(AG)	VEGETATION CANNOT BE ESTABLISHED. PREVENTS MUD FROM BEING PICKED UP AND TRANSPORTED OFF-SITE.			 Sediment and eror (7) days and with period or more for 	ion control measures n 24 hours of a rai quently if required it	s shall be inspected at least once every seven infall exceeding 0.5 inches during a 24-hour v aoverning NPDPS general permit. All		a die required certification on forms which are accorded to, and die a part	51, E	Based on the results of the inspection, the description of potential polutant sources is polution prevention measures identified in section 2 above shall be revised as appropri- such insection. Any changes to this plan creations from the required inspections shall	identified in section 1 above and fate as soon as practicable after all be implemented within 7
		PAVING	P	PROVIDES PERMANENT COVER ON PARKING LOTS AND ROADS OR OTHER AREAS			maintenance requi within 48 hours o	ed by inspection sho report.	Il commence within 24 hours and be completed		below is a description of interim and permanent stabilization practices, inclu-	ding .	calendar days following the inspection.	
		EROSION RI ANKET	-			_	 This plan shall no necessary precauti 	be considered all is	nclusive as the general contractor shall take all adiment from leaving the site.	site-specific scheduling of the imple preserved where attainable and distu	ementation of the practices. Site plans will ensure that existing vegetation urbed portions of the site will be stabilized. Except as provided in $2.a.$ (1) (A	la () and	. A report summarizing the scope of the inspection, name(s) and qualifications of person date(s) of the inspection, major observations relating to the implementation of this sti and actions taken in accordance with section 4.b. shall be made and retained as part	tormwater pollution prevention plan tormwater pollution prevention plan to f the plan for at least three
			\vdash		L^	-	General contractor	shall comply with a	I state and local ordinances that apply.	activities have temporarily or permar that portions of the site where cons	struction activity will not occur for a period of 21 or more calendar days.	ity in		
			<u> </u>		$\left \right $	_				(A) Where the initiation of stabilizat	tion measures by the 14th day after construction activity temporarily or d by some cover, stabilization measures shall be initiated as soon as practic	c shie	I If any violation of the provisions of this plan is identified during the conduct of the oc plan, the Resident Engineer or Resident Technician shall complete and file an "incidence"	onstruction work covered by this ce of Noncompliance" (ICN) report
			L X			_	 If installation of s the pipe ends sho 	orm drainage system I be covered with fi	n should be interrupted by weather or nightfall, iter fabric.				for the identified violation. The Resident Engineer or Resident Technician shall use for Environmental Protection Agency and shall include specific information on the cause of were taken to prevent any further causes of noncompliance, and a statement details	ms provided by the Illinois f noncompliance, actions which a any environmental impact which
	DIVERSIONS	COMBINATION DIVERSION											may have resulted from the noncompliance. All reports of noncompliance shall be sign accordance with Part VI. G of the general permit. The report of noncompliance shall i addresses	ned by a responsible authority in be mailed to the following
		CURB AND GUTTER	6	SPECIAL CASE OF DIVERSION USED IN CONJUNCTION WITH A STREET TO DIVERT WATER FROM AN AREA NEEDING PROTECTION.			* All erosion and se	timent control practi	ces shall be maintained and repaired as needed	1 Temporary Seeding 3 2 Erosion Blanket 4	Permanent seeding 5 Inlet protection Dust & Traffic Control		Illinois Environmental Protection Agency	
		BENCHES	B	SPECIAL CASE OF DIVERSION CONSTRUCTED WHEN WORKING ON CUT SLOPES TO SHORTEN LENGTH OF SLOPE AND ADD SLOPE STABILITY.						(I)STRUCTURAL PRACTICES. Provided E	below is a description of structural practices that will be implemented, to th		Attr: Compliance Assurance Section 2200 Churchill Road	
		BARE CHANNEL	60	PROVIDES MEANS OF CONVEYING RUNOFF TO DESIRED LOCATION. MAY BE USED TO DRAIN DEPRESSIONAL AREAS. ONLY APPLICABLE WHEN VELOCITY						pollutants from exposed areas of the Clean Water Act.	or exposed soles, store nows or otherwise limit runoir and the ascharge or he site. The installation of these devices may be subject to Section 464 of	the	Post Office Box 19276 Springfield, Illinois 62794-9276	
	WATERWAYS	VECETATIVE CHANNEL			+	_	 All construction with construction site of storm water permit 	I adhere to the requ ctivities national poll	irrements set forth in the IEPA's new utant discharge elimination system (NPDES)	1. Detention basins 2. Storm sever system		5. E	Non-Stormwater Discharges. xcept for flows from fire fighting activities, sources of non-stormwater that may be comb	bined with stormwater discharges
			¥		+	-				3. Vegetated dramage swales 4. Permanent seeding 5. Store Rivern			. Water main flushing	
					+	_	All disturbed areas	shall be stabilized	within 7 days of active disturbance.	6. Outlet protection 7. Filter fabric		6 6	. Fire hydrant flushing . Watering for dust control . Irritation drahaase for watertaive prowth for seeding, etc	
			- ×			_				 Intel protection Erosion Control. It shall be the Control 	actor's responsibility to provide adequate erasion control on the lob site.	п		ater components of the discharged
	ENCLOSED	STORM SEWER	্য									sis, Ti	re fire hydrant and water main shall not be flushed directly on the exposed area of sub g hall be used to direct the flow into the storm sewer system, if available.	grade of the pavement. Hoses
New N New N New N New N New N New N 1	DRAINAGE	UNDERDRAIN	00	USED TO LOWER WATER TABLE AND INTERCEPT GROUNDWATER FOR BETTER VEGETATION GROWTH AND SLOPE STABILITY. USED TO CARRY BASE FLOW									ne erosion due to irrigation of seeding shall be considered minor.	
pict min min <thmin< th=""> min <thmin< th=""> <thmin< <="" td=""><td></td><td></td><td>-</td><td></td><td>+</td><td>_</td><td> Filter Baskets or 3 vegetation is estal </td><td>ilt filter fabric shall lished. (see detail)</td><td>be placed between frame and grate until</td><td>The Contractor's responsibility for erosi shall be responsible for cleanup of pay</td><td>ion control shall extend throughout the construction process. The Contracto ed surfaces within and adjacent to the project.</td><td>ज</td><td>ontractor to provide the above non-stormwater discharged control to the standard specific sproved equal.</td><td>cation required by the City or the</td></thmin<></thmin<></thmin<>			-		+	_	 Filter Baskets or 3 vegetation is estal 	ilt filter fabric shall lished. (see detail)	be placed between frame and grate until	The Contractor's responsibility for erosi shall be responsible for cleanup of pay	ion control shall extend throughout the construction process. The Contracto ed surfaces within and adjacent to the project.	ज	ontractor to provide the above non-stormwater discharged control to the standard specific sproved equal.	cation required by the City or the
Image: Note of the state of the st		STRAIGHT PIPE SPILLWAY	L L Ž				 Utilize erosion blor *Seeding per LD.0 	ket where designate T. Manual, section 2	d on the plan. 51 standard specifications for road and bridge	All erosion control practices shall be in Bridge Construction," by the Illinois Dep	n compliance with the latest revision of the "Standard Specifications for Roa partment of Transportation and with "Standards and Specifications for Soil E	i and ceion		
Image: Note of the state of the st	SPILLWAYS	DROP INLET PIPE SPILLWAY	015)				*Mulch/hydroseed	t edition) per I.D.O.T. Manual, : ction (latest edition)	section 251, standard specifications for road	and Sedimentation Control" as publishe If a tansail stackaile location is provide	ed by the Illinois Environmental Protection Agency. ed and approved by the City. Contractor shall establish erasion control meas	ires.		
N N		WEIR SPILLWAY								for the stockpile if it is to remain in p topsoil stockpile location with exception	place for more than three days. In addition, barrier filter fence shall enclos n of truck access during construction hours.			
Number Numer Numer Numer <td></td> <td>BOX INLET WEIR SPILLWAY</td> <td>85</td> <td>SAME AS WER SPILLWAY EXCEPT LARGER FLOWS CAN BE ACCOMMODATED BECAUSE OF LOWER WER LENGTH.</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>c. Stormwater Management.</td> <td></td> <td></td> <td></td> <td></td>		BOX INLET WEIR SPILLWAY	85	SAME AS WER SPILLWAY EXCEPT LARGER FLOWS CAN BE ACCOMMODATED BECAUSE OF LOWER WER LENGTH.						c. Stormwater Management.				
minimum minim		LINED APRON	l (G	PROTECTS DOWNSTREAM CHANNEL FROM HIGH VELOCITY OF FLOW DISCHARGING FROM STRUCTURES.							the second state of the state of the construction process to control that will prove other construction operations have been completed. The			
new	0012213	STONE RIP RAP	RR	USED AS AN ENERGY DISSIPATOR AT OUTLET STRUCTURES TO REDUCE WELDCIDES										
Nome Converts Nome		EMBANKMENT SEDIMENT BASIN	E C			-	 Excess material sit owner and approve surrounded with fit 	all be placed at spe d by engineer for u ber fence and shall	cified location unless otherwise specified by se of lot grading. Stockpiles shall be be seeded per LD.O.T. Manual (latest addition)					
Image: Normal biology Image: Normal bioly Image: Normal bioly <th< td=""><td></td><td>EXCAVATED SEDIMENT BASIN</td><td>\rightarrow</td><td></td><td></td><td></td><td>(temporary) if left</td><td>more than 14 work</td><td>ng daya.</td><td></td><td></td><td></td><td></td><td></td></th<>		EXCAVATED SEDIMENT BASIN	\rightarrow				(temporary) if left	more than 14 work	ng daya.					
import integration in the integration integratio	BASINS		$- \sim$		+	-	or in right-of-wa company and loca	prior to excavation.	 Companies naving underground utilities on site Contractor shall contact utility locating grading start. 	2. Droinoge secies 5. 3. Storm severs 6.	Retention/Detention ponds			
Imported method Mark of the first of the fir					$\left \right $	_				(ii)Velocity dissipation devices will be a	laced at discharge locations and glong the length of any outfall channel as			
Imported method Mark of the first of the fir	SEDIMENT	BARRIER FILTER	<u> </u>		x					necessary to provide a non-erosive and biological characteristics and fu	velocity flow from the structure to a water course so that the natural phys inctions are maintained and protected (e.g., maintenance of hydrologic condi-	cal lons,		
http://prod/line Number of the state of the	FILTERS	VEGETATIVE FILTER	₩	USED ALONG DRAINAGE WAYS OR PROPERTY LINES TO FILTER SEDMENT FROM RUNOFF, SIZE MUST BE INCREASED IN PROPORTION TO DRAINAGE AREA.										
http://prod/line Number of the state of the		FILTER BASKET	(FB)	USED FOR FILTERING SEDMENT WITHIN THE ROADWAY BEFORE ENTERING THE STORM SEMER			management control mean he sees fit, but the ultim	ures. The Contractor ite responsibility for in	may designate these tasks to certain subcontractors as referenting these controls and ensuring their proper	1 Stone Riprop 2 Filter Fabric 3 Venetative channels				
<form> N</form>		INLET PROTECTION	l (i)	USED FOR FILTERING SEDMENT WITHIN GRASS AREAS BEFORE WATER ENTERS			days of temporary or per the CITY.	nament cessation of g	cular the CLSU requirement for stabilization within 14 rading must be met and will be vigorously enforced by	4 Inlet protection.				
<form> Number Num Number Number</form>					+	_	The anticipated order of schedule included in para	ctivities will be as foil hesis.)	ows: (The project is anticipated to follow a 5 week					
<form> Image: Amp in the property intervent intervent in the property intervent intervent in the property intervent inter</form>		STABILIZED CONST. ENTRANCE	(SE)	PREVENT MUD FROM BEING PICKED UP AND CARRIED OFF-SITE.			1.File stormwater NPDE	permit with the IDPA	at least 30 days prior to beginning work.	(i) Waste Disposal. The solid waste ma machinery, tools and other items will responsible to acquire any permit re	aterials including trash, construction debris, excess construction materials, III be collected and disposed off-site by the contractor. The contractor is sourced for such disposed. Rurning on the site will not be committed. No soil			
	CONTROL	DUST AND TRAFFIC CONTROL	X OT	PREVENTS DUST FROM LEAVING CONSTRUCTION SITE.	x		2.06/01/16 - Anticipal 3.A pre-construction m	ed Construction Start reting shall be held by	Date • the Site Project Manager and the Operator's Engineer	materials, including building materials Section 404 permit.	is, shall be discharged into Waters of the State, except as authorized by a			
<form> State <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td>prior to land disturbin and approval.</td><td>activities. The contr</td><td>actor shall provide a detailed dewatering plan for review</td><td>(ii) The provisions of this plan shall en disposal, sanitary sever or sectio sy</td><td>naure and demonstrate compliance with applicable State and/or local waste watern regulations. The sonitory sewace will be discharged to the processed so</td><td>nîtarv</td><td></td><td></td></t<></form>							prior to land disturbin and approval.	activities. The contr	actor shall provide a detailed dewatering plan for review	(ii) The provisions of this plan shall en disposal, sanitary sever or sectio sy	naure and demonstrate compliance with applicable State and/or local waste watern regulations. The sonitory sewace will be discharged to the processed so	nîtarv		
<form> Important Mark Mark</form>	CTAON	(74.70)	_				4.(Week 1) Install all pe ditch checks and inle	rmanent and temporar protection in the loca	y erosion control practices, i.e. perimeter silt fences, dians shown on the Erosion Control plan sheets.		al standards.			
Image: Normalized in the state of the s	TYPE	IZATION JAN. FEB. MAR. APR	2. MAY .	JUNE JULY AUG SEPT. OCT. NOV. DEC.			5. (Weeks 1-2) install a additional dewatering	imp pits and dewater's ocations as needed to	ng filter bag at discharge location. contractor to provide adequatly dewater the pond.		d other provisions contained in this plan are at least as protective as the			
Image: Normalized in the state of the s		NENT ABC		×			6. (Weeks 2-3) Dewater 7. (Week 3) Once water	existing basin utilizing	sump pit or devotering wells.	requirements contained in the Illinois Env and Sediment Control dated October 196 Plan, and the Municipal Subdivision Ordin	vironmental Protection Agency's Standards and Specifications for Soil and Er 87, Illinois Procedures and Standards for Urban Soil Erosion and Sedimentat nance. Requirements specified in sediment and erosion control site plans or	ision on site		
Image: Normalized in the state of the s		100000000					grode.	under all throughout	defended over	permits or stormwater management or s protecting surface water resources are, or	site plans or site permits approved by local officials that are applicable to upon submittal of an NOI to be authorized to discharge under this permit, paths while this permit even if they are not perifically invited in the site			
Important										b. Maintenance.				
A.() PUNCTOR NUTRANCE DS IS ALLOW 0 (49) Annuel end destance 0 (49)	TEMPON SEEDIN	RARY IG	X/X							The following is a description of procedu vegetation, erosion and sediment control	ures that will be used to maintain, in good and effective operating condition: 4 measures and other protective measures identified in this plan and Standa	à		
BORNIN BY: WF WG NORMANN WERE STORE NORMANN STATE STATE AND ADDRESS IS USADDRESS OF THE PARTY	A (1)		/ / / / / /	D (48) ANNUAL RYE GRASS 250 LBS/ACRE			11. End of week 5 - S 12. Site monitoring to c	bstantial Complettion Intinue with additional	soil erosion and sediment control implemented as			-		
		30 LBS/ACRE AND CREEPING RED FESCUE 20 LBS/ACRE					needed. City inspectio 13. Remove silt fencing	i and sign off. only after all disturbed	surfaces are stabilized	channels, vegetative filter, etc. shall be vegetative cover shall be removed and n	maintained periodically and supply adequate watering and fertilizer. The reserved as necessary.	•		
before to the field of the set o	B (14)	BUIE CRASS TO LES ACRE					14. City Final Inspection.							
C (a) AND/ORDER OF CALL STOL & LIS/OPE B AND/ORDER OF CALL STOL &		DAWSONS RED FESCUE 10 LBS ACRE SCALDIS HARD FESCUE 10 LBS/ACRE								Rip-rap outlet protection: It shall be in have been dislodged. It shall be renaine	inspected after high flows for any scour beneath the Rip-rap or for stones (ad immediately.	hat		
	C (4)	FULTS SALT GRASS 30 LBS/ACRE ANDROPOGON GERNADI (BIG BLUE STEM) 4 18	RS/ACRF		NTH TCR)		·			inlet Protection: Shall be inspected and	d emptied of silt if filled as required.			
	0.00	ANDROPOGON SCOPARIUS (LITTLE BLUE STEM) BOUTELOVA CURTIPENDULA (SIDE CATS GRAM) 5 LBS/ACRE A) 5 LBS/ACRE	 IRRIGATION NEEDED DURING JUNE AND JULY 										
		ELYMUS CANADENENSIS (WLD RYE) 1 LBS/AC PANCIUM VIRGATUM (SWITCH GRASS) 1 LBS/A SCRIGHASTRIM NUTTING (NUTAN CRASS)	RE ICRE S/ACRE	** IRRIGATION NEEDED FOR 2 TO 3 WEEKS AFTER APP	el ning so	D.							FOF	R BIDDING
		ANNUAL RYE GRASS 25 LBS/ACRE OATS, SPRING 25 LBS/ACRE		() DOT STANDARD									101	
		PERENNAL RYE GRASS 15 LBS/ACRE												
				BAR IS ONE INCH ON OFFICIAL DRAWINGS.		N DESCR	IPTION	The second second		M	MCHENRY COUNTY COLLEGE	C		SHEET NO.
	APPROVED: K H	JOB NUMBER: 861502	81	IF NOT ONE INCH	1 EBID			Kai j	McHENRY, ILLINOIS 60050	McHenry				C-03
	CAD DATE: 4/19 CAD FILE: \\hn	yzuto 10:54:42 AM gmhnas\data\86150281\CAD\Dw	vgs\C\8615	ADJUST SCALE ACCORDINGLY				HRGreen	PHONE: 815.385.1778 TOLL FREE: 800.728.7805			EROSI	UN CUNRUL SPECIFACTIONS	









FOR BIDDING

STORMWATER POLLUTION PREVENTION PLAN STABILIZATION REPORT

McHenry County College 8900 U.S. Highway 14, Crystal Lake, McHenry County, Illinois

STABILIZATION MEASURES

INSPECTOR:

DATE:____

(Print)

(Signature)

QUALIFICATIONS OF INSPECTOR:

DAYS SINCE LAST RAINFALL: _____ AMOUNT OF LAST RAINFALL _____

AREA	DATE OF LAST DISTURBANCE	DATE OF NEXT DISTURBANCE	STABILIZATION REQUIRED? (YES/N0)	STABILIZED WITH	CONDITION (INCLUDING % VEGETATED)

STABILIZATION REQUIRED:

TO BE PERFORMED BY: _____ ON OR BEFORE _____

STORMWATER POLLUTION PREVENTION PLAN

STORMWATER POLLUTION PREVENTION PLAN **INSPECTION REPORT**

McHenry County College 8900 U.S. Highway 14, Crystal Lake, McHenry County, Illinois

SITE CONDITIONS:

POLLUTANT CONTROL	IN CONFORMANCE	EFFECTIVE
Construction Entrance / Exit	YES/NO/NA (See Below)	YES/NO/NA (See Below)
Discussion (Earth Dike or Drainage	YES/NO/NA (See Below)	YES/NO/NA (See Below)
Swale and Vegetated Channels))		
Silt Fence	YES/NO/NA (See Below)	YES/NO/NA (See Below)
Inlet Protection	YES/NO/NA (See Below)	YES/NO/NA (See Below)
Sediment Basins / Trap	YES/NO/NA (See Below)	YES/NO/NA (See Below)
Detention Basins w/temporary	YES/NO/NA (See Below)	YES/NO/NA (See Below)
sediment basin features		
Rock Outlet Protection (Riprap)	YES/NO/NA (See Below)	YES/NO/NA (See Below)
Temporary Check Dam	YES/NO/NA (See Below)	YES/NO/NA (See Below)

VIOLATIONS NOTED: (Explain each "NO" circled above)

RECOMMENDED REMEDIAL ACTIONS:

COMMENTS:

Based on the results of the inspection, necessary control modifications shall be implemented within 7 calendar days. These reports shall be kept on file as part of the Stormwater Pollution Prevention Plan for at least three years from the date of completion and submission of the Final Stabilization Certification/Termination Checklist and Notice of Termination. A copy of the SWPPP shall be kept at the site at all times during construction.

<u>Certification Statement</u> "I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete.

Name (Print):	
Address:	
Site location:	
_	
INSPECTOR:	DATE:

(Signature)

STORMWATER POLLUTION PREVENTION PLAN

McHenry County College 8900 U.S. Highway 14, Crystal Lake, McHenry County, Illinois

STORMWATER POLLUTION PREVENTION PLAN

INSPECTION AND MAINTENANCE REPORT FORM

STRUCTURAL CONTROLS

Date: _____

Construction Entrance / Exit

Does much sediment get tracked onto road?	Is the Gravel Clean or is it filled with sediment?	Does all traffic use the stabilized entrance to leave the site?	Is the culvert beneath the entrance working? (If applicable)

Maintenance Required:

To Be Performed By: _____ On Or Before: _____

INSPECTOR:

(Signature)

DATE:

STORMWATER POLLUTION PREVENTION PLAN

McHenry County College 8900 U.S. Highway 14, Crystal Lake, McHenry County, Illinois

STORMWATER POLLUTION PREVENTION PLAN

INSPECTION AND MAINTENANCE REPORT FORM

STRUCTURAL CONTROLS

Date: _____

Silt Fence

Location	Posts Upright?	Fabric Bottom Buried?	Any tears or gaps?

Maintenance Required:

To Be Performed By: _____ On Or Before: _____

INSPECTOR: _______(Signature)

DATE: _____

STORMWATER POLLUTION PREVENTION PLAN

McHenry County College 8900 U.S. Highway 14, Crystal Lake, McHenry County, Illinois

STORMWATER POLLUTION PREVENTION PLAN

INSPECTION AND MAINTENANCE REPORT FORM

STRUCTURAL CONTROLS

Date: _____

Inlet Protection

Location	Fabric in inlet?	Any holes or gaps in fabric?	Depth of sediment collected?

Maintenance Required:

STORMWATER POLLUTION PREVENTION PLAN

STORMWATER POLLUTION PREVENTION PLAN MODIFICATION REPORT

McHenry County College 8900 U.S. Highway 14, Crystal Lake, McHenry County, Illinois

CHANGES REQUIRED FOR STORMWATER POLLUTION PREVENTION PLAN

To: Address:]		
Telephone: Facsimile:				
	☐ Facsimile	🗌 Courier	🗆 US Mail	
INSPECTOR:		DATE:		
	(Print)			
	(Signature)			
QUALIFICATIO	ONS OF INSPECTOR:			
CHANGES REC	QUIRED TO THE STORM	WATER POLLUTION	PREVENTION PLAN:	
REASONS FOR	CHANGES:			
TO BE PERFOR	RMED BY:	ON OR BEFOR	E:	

YEAR 2016

STORMWATER POLLUTION PREVENTION PLAN PROJECT RAINFALL LOG

Month	Jan	Feb	Mar	Apr	May	June	July	Aug	Sep	Oct	Nov	Dec
Day												
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30												
31												
PM Initials												L

Page 1 of 3

Illinois Environmental Protection Agency

Bureau of Water	1021 North Grand Avenue East	۰	P.O. Box 19276 •	Springfield	•	Illinois • 62794-927	6

Division of Water Pollution Control Notice of Intent (NOI) for General Permit

to Discharge Storm Water Associated with Construction Site Activities

This fillable form may be completed online, a copy saved locally, printed and signed before it is submitted to the Permit Section at the above address. For Office Use Only

OWNER INFORMATION						,
Company/Owner Name: McHenry (County College			Pe	rmit No. ILR	10
Mailing Address: 8900 U.S. Highw	0.00010000		F	Phone: 815-	455-8564	
City: Crystal Lake		Zip: 60012		ax: 815-47	and the second second	
Contact Person: Todd Wheeland			E-mail: twhee	eland@mch	enry.edu	
Owner Type (select one) Private					·	
			MS	4 Communit	y: 🗸 Yes	□ No
CONTRACTOR INFORMATION	1		ino.	- oominanii	.y. <u>v</u> 105	
Contractor Name: TBD		10-11-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1				
Mailing Address:						
City:	State:	Zip:		Fax:		
CONSTRUCTION SITE INFOR	MATION					
Select One: X New C	ange of informat	ion for: ILR10				
Project Name: McHenry County C	ollege		C	County: Mo	Henry	
Street Address: 8900 U.S. Highw	/ay 14	City: Crysta	l Lake	IL Zij	p: 60012	
Latitude: <u>42 15 29</u>	Longitude	88 22	7	25	44N	7E
(Deg) (Min) (S			in) (Sec)	Section	Township	Range
Approximate Construction Start Da	te Feb 1, 20		imate Constructi	ion End Dat		
Total size of construction site in ac				1		
If less than 1 acre, is the site part of		n plan of develor	ment?		n 5 acres - S	struction Sites
Yes No	a larger comme	in plan of develop	incht:		e acres - \$7	
STORM WATER POLLUTION P	REVENTION P	AN (SWDDD)		Ļ	i k industria	
las the SWPPP been submitted to t			√ Ye	s 🗌 No	Ś.	
(Submit SWPPP electronically to:		p@illinois.gov)		с <u>ц</u>		
Location of SWPPP for viewing: Ad	dress: At job site	trailer		City	: McHenry	
SWPPP contact information:				Insp	ector qualifica	ations:
Contact Name: Joseph Vavrina				P.E.		
Phone: 815-385-1778	Fax: 815-385-	1781	E-mail: jva	vrina@hrgr	een.com	
Project inspector, if different from at	oove				ector qualifica	ations:
Inspector's Name: TBD						
Phone:	Fax:		E-mail:			
L 532 2104 WPC 623 disclose this information each day during which	on may result in: a civil p the violation continues	nation under Section 4 an enalty of not to exceed \$ (415 ILCS 5/42) and may the Forms Management	50,000 for the violation also prevent this form	n and an addition	al civil penalty of n	ot to exceed \$10,000



TYPE OF CONSTRUCTION (select one)

Construction Type Reconstruction

SIC Code:

Type a detailed description of the project:

Excavation and restoration of pond bottom to remove silt. Repread and restoration of excavated material.

HISTORIC PRESERVATION AND ENDANGERED SPECIES COMPLIANCE

Has the project been submitted to the following state agencies to satisfy applicable requirements for compliance with Illinois law on:

Historic Preservation Agency	✓ Yes	No	
Endangered Species	✓ Yes	□ No	
RECEIVING WATER INFORMATI	ON		
Does your storm water discharge dire	ctly to:	Waters of the State or Storm Sewer	
Owner of storm sewer system: Priva	te detention	basins which infiltrate in to the underlying soils	
Name of closest receiving water body	to which yo	u discharge: Crystal Lake	
Mail completed form to: Illinois Enviro	nmental Pro	tection Agency	

Completed form to: Illinois Environmental Protection Ager Division of Water Pollution Control Attn: Permit Section Post Office Box 19276 Springfield, Illinois 62794-9276 or call (217) 782-0610 FAX: (217) 782-9891

Or submit electronically to: epa.constilr10swppp@illinois.gov

I certify under penalty of law that this document and all attachments were prepared under my direction and supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage this system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment. In addition, I certify that the provisions of the permit, including the development and implementation of a storm water pollution prevention plan and a monitoring program plan, will be complied with.

Any person who knowingly makes a false, fictitious, or fraudulent material statement, orally or in writing, to the Illinois EPA commits a Class 4 felony. A second or subsequent offense after conviction is a Class 3 felony. (415 ILCS 5/44(h))

Owner Signature:

12/4/1 Date:

Todd Wheeland

Printed Name:

Director of Physical Facilities Title:

Page 3 of 3

INSTRUCTIONS FOR COMPLETION OF CONSTRUCTION ACTIVITY NOTICE OF INTENT (NOI) FORM

Submit original, electronic or facsimile copies. Facsimile and/or electronic copies should be followed-up with submission of an original signature copy as soon as possible. Please write "copy" under the "For Office Use Only" box in the upper right hand corner of the first page.

This fillable form may be completed online, a copy saved locally, printed and signed before it is submitted to the Permit Section at:

Illinois Environmental Protection Agency Division of Water Pollution Control Permit Section Post Office Box 19276 Springfield, Illinois 62794-9276 or call (217) 782-0610 FAX: (217) 782-9891

Or submit electronically to: epa.constilr10swppp@illinois.gov

Reports must be typed or printed legibly and signed.

Any facility that is not presently covered by the General NPDES Permit for Storm Water Discharges From Construction Site Activities is considered a new facility.

If this is a change in your facility information, renewal, etc., please fill in your permit number on the appropriate line, changes of information or permit renewal notifications do not require a fee.

NOTE: FACILITY LOCATION IS NOT NECESSARILY THE FACILITY MAILING ADDRESS, BUT SHOULD DESCRIBE WHERE THE FACILITY IS LOCATED.

Use the formats given in the following examples for correct form completion.

	Example	Format
Section	12	1 or 2 numerical digits
Township	12N	1 or 2 numerical digits followed by "N" or "S"
Range	12W	1 or 2 numerical digits followed by "E" or "W"

For the Name of Closest Receiving Waters, do not use terms such as ditch or channel. For unnamed tributaries, use terms which include at least a named main tributary such as "Unnamed Tributary to Sugar Creek to Sangamon River."

Submission of initial fee and an electronic submission of Storm Water Pollution Prevention Plan (SWPPP) for Initial Permit prior to the Notice of Intent being considered complete for coverage by the ILR10 General Permits. Please make checks payable to: Illinois EPA at the above address.

Construction sites with less than 5 acres of land disturbance - fee is \$250.

Construction sites with 5 or more acres of land disturbance - fee is \$750.

SWPPP should be submitted electronically to: <u>epa.constilr10swppp@illinois.gov</u> When submitting electronically, use Project Name and City as indicated on NOI form.

STORMWATER POLLUTION PREVENTION PLAN

FINAL STABILIZATION CERTIFICATION /NOTICE OF TERMINATION CHECKLIST

McHenry County College 8900 U.S. Highway 14, Crystal Lake, McHenry County, Illinois

- 1.
 All soil disturbing activities are complete.
- 3. □ All areas of the Construction Site not otherwise covered by a permanent pavement or structure have been stabilized with a uniform perennial vegetative cover with a density of 85% or equivalent measures have been employed.

CONTRACTOR'S CERTIFICATION:

"I certify under penalty of law that all storm water discharges associated with construction site activity form the identified facility that are authorized by NPDES general permit ILR1000000 have otherwise been eliminated. I understand that by submitting this notice of termination, that I am no longer authorized to discharge storm water associated with construction site activity by the general permit, and that discharging pollutants in storm water associated with construction site activity to Water of the State is unlawful under the Environmental Protection Act and Clean Water Act where the discharge is not authorized by a NPDES permit. I also understand that the submittal of this notice of termination does not release an operator from liability for any violations of this permit or the Clean Water Act."

Company Name

Name (Print) ______

Signature _____

Date _____

Page 1 of 2

Illinois Environmental Protection Agency

Bureau of Water • 1021 North Grand Ave	enue East	• P.O.	Box 1927	6 • Sp	ringfield 🔹 Illi	nois • 6279	94-9276
N of Coverage under the Ger	Constru	F TERM mit for S uction S	/INATIO Storm W Site Activ	N (NOT ater Di vities) scharges A		
This fillable form may be completed onlin Section at the above address.	ie, a copy s	saved loc	ally, print	ed and s	igned before	it is submitt	ed to the Permit
OWNER INFORMATION					Permit N	lo. ILR10	
Owner Name: McHenry County College							
Owner Type (select one) Private							
Mailing Address: 8900 U.S. Highway 14					Phone: (815)	455-8725	
City: Crystal Lake	State: IL	Zip: <u>60</u>	0012		Fax: <u>(815)</u> 4	79-7821	
Contact Person: Todd Wheeland			E-mail: <u>tw</u>	heeland	@mchenry.edu	J	
CONTRACTOR INFORMATION							
Contractor Name:							
Mailing Address:					Phone:		
City:					Fax:		
CONSTRUCTION SITE INFORMATION	l						
Facility Name: McHenry County College							
Street Address: 8900 U.S. Highway 14							
City: Crystal Lake	IL	Zip: <u>60</u>	0012		County: <u>Mo</u>	Henry	
NPDES Storm Water General Permit Numb	er: ILR10 _						
Latitude: <u>42</u> <u>15</u> <u>29</u> L	ongitude:	88	22	07	25	<u>44N</u>	7E
(Deg) (Min) (Sec)		(Deg)	(Min)	(Sec)	Section	Township	Range
DATE PROJECT HAS BEEN COMPLE	TED AND	STABIL	IZED:				

NOTE: Coverage under this permit cannot be terminated without the completion date.

I certify under penalty of law that disturbed soils at the identified facility have been finally stabilized or that all storm water discharges associated with industrial activity from the identified facility that are authorized by an NPDES general permit have otherwise been eliminated. I understand that by submitting this notice of termination, that I am no longer authorized to discharge storm water associated with industrial activity by the general permit, and that discharging pollutants in storm water associated with industrial activity to Waters of the State is unlawful under the Environmental Protection Act and the Clean Water Act where the discharge is not authorized by an NPDES Permit.

Any person who knowingly makes a false, fictitious, or fraudulent material statement, orally or in writing, to the Illinois EPA commits a Class 4 felony. A second or subsequent offense after conviction is a Class 3 felony. (415 ILCS 5/44(h))

	Owner Signature:	Date:
Mail completed fo	rm to: Illinois Environmental Protection Ager Division of Water Pollution Control, At 1021 North Grand Avenue East P.O. Box 19276 Springfield, Illinois 62794-9276	•
IL 532 2102 WPC 621 Rev 12/11	Failure to disclose this information may result in: a civil not to exceed \$10,000 for each day during which the vi	der Section 4 and Title X of the Environmental Protection Act (415 ILCS 5/4, 5/39). I penalty of not to exceed \$50,000 for the violation and an additional civil penalty of olation continues (415 ILCS 5/42) and may also prevent this form from being nied. This form has been approved by the Forms Management Center.

You created this PDF from an application that is not licensed to print to novaPDF printer (http://www.novapdf.com)

GUIDELINES FOR COMPLETION OF NOTICE OF TERMINATION (NOT) FORM

Please adhere to the following guidelines:

Submit original, electronic or facsimile copies. Facsimile and/or electronic copies should be followed-up with submission of an original signature copy as soon as possible.

Submit completed forms to:

Illinois Environmental Protection Agency Division of Water Pollution Control, Attn: Permit Section 1021 North Grand Avenue East P.O. Box 19276 Springfield, Illinois 62794-9276 or call (217) 782-0610 FAX: (217) 782-9891

Or submit electronically to: epa.constilr10swppp@illinois.gov

Reports must be typed or printed legibly and signed.

NOTE: FACILITY LOCATION IS NOT NECESSARILY THE FACILITY MAILING ADDRESS, BUT SHOULD DESCRIBE WHERE THE FACILITY IS LOCATED.

Use the formats given in the following examples for correct form completion.

	Example	Format
Section	12	1 or 2 numerical digits
Township	12N	1 or 2 numerical digits followed by "N" or "S"
Range	12W	1 or 2 numerical digits followed by "E" or "W"

Final stabilization has occurred when:

- (a) all soil disturbing activities at the site have been completed;
- (b) a uniform perennial vegetative cover with a density of 70% of the native background vegetative cover for the area has been established on all unpaved areas not covered by permanent structures; or
- (c) equivalent permanent stabilization measures have been employed.

Illinois Environmental Protection Agency Page 1 of 2

Bureau of Water • 1021 N. Grand Avenue E. • P.O. Box 19276 • Springfield • Illinois • 62794-9276

Division of Water Pollution Control

Construction Site Storm Water Discharge Incidence of Non-Compliance (ION)

	illinois.go	<u>v</u>						For Office	Use Only
Permittee Informati	on:							Permit No.	II R10
							9		
Street Address:									
City:									
Phone:			Email:						-
Construction Site In	formatio	n:							
Site Name:		_							
Street Address:									
City:			State: IL	Zip Code:					
atitude:		_	Longitude:						
	(Min)		1000 C 1000 C	(Deg)	(Min)	(Sec)	Section	Township	Range
Cause of Non-Con				(1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	0
Environmental Imp		1. V.A.	m the Non-C	ompliance	2				
Environmental Imp Actions Taken to Re	oact Resu	Iting From	m the Non-C	ompliance					
	educe the	Iting From Environi	m the Non-C mental Impa	ompliance ct Resultin	g From ti material s	ne Non-Co tatement, c	mpliance rally or in w	riting, to the II	linois EP,
Actions Taken to Re Any person who kno	educe the wingly ma	Iting From Environi	m the Non-C mental Impa e, fictitious, o ubsequent of	ompliance ct Resultin	g From ti material s	ne Non-Co tatement, c	mpliance rally or in w	riting, to the II	linois EP,
Actions Taken to Re Any person who kno	educe the wingly ma	Iting From Environi kes a false acond or s ignature:	m the Non-C mental Impa e, fictitious, o ubsequent of	ompliance ct Resultin	g From ti material s	ne Non-Co tatement, c	mpliance rally or in w 3 felony. (41	riting, to the II	linois EP,
Actions Taken to Re Any person who kno	educe the wingly ma lony. A se	Iting From Environi kes a false acond or s ignature:	m the Non-C mental Impa e, fictitious, o ubsequent of	ompliance ct Resultin	g From ti material s	ne Non-Co tatement, c	mpliance rally or in w 3 felony. (41 Date:	riting, to the II	linois EP,

STORMWATER POLLUTION PREVENTION PLAN

McHenry County College Crystal Lake, Illinois

DIVISION OF WATER POLLUTION CONTROL ILLINOIS ENVIRONMENTAL PROTECTION AGENCY FIELD OPERATIONS SECTION

GUIDELINES FOR COMPLETION OF INCIDENCE OF NON-COMPLIANCE (ION) FORM

Complete and submit this form for any violation of the Storm Water Pollution Prevention Plan observed during any inspection conducted, including those not required by the SWPPP. Please adhere to the following guidelines:

Initial submission within 24 hours by email, telephone or fax (see region fax numbers) of any incidence of noncompliance for any violation. Submit email copy to: <u>epa.swnoncomp@illinois.gov</u>. After 24 hours notification, submit signed original ION within 5 days to the following address:

Illinois Environmental Protection Agency Division of Water Pollution Control Compliance Assurance #19 Post Office Box 19276 Springfield, Illinois 62794-9276

FIELD OPERATIONS HEADQUARTERS Bruce Yurdin, Manager Phone: 217/782-3362 Fax: 217/785-1225 EMAIL: epa.swnoncomp@illinois.gov

Region 1 - ROCKFORD Chuck Corley, Manager Phone: 815/987-7760 Fax: 815/987-7005

Region 2 - DESPLAINES Jay Patel, Manager Phone: 847/294-4000 Fax: 847/294-4058

Region 3 - PEORIA Jim Kammueller, Manager Phone: 309/693-5463 Fax: 309/693-5467

Region 4 - CHAMPAIGN Joe Koronkowski, Manager Phone: 217/278-5800 Fax: 217/278-5808

Region 5 - SPRINGFIELD Bruce Yurdin, FOS Manager Phone: 217/782-3362 Fax: 217/785-1225

Region 6 - COLLINSVILLE Bruce Yurdin, FOS Manager Phone: 217/782-3362 Fax: 217/785-1225

Region 7- MARION Byron Marks, Manager Phone: 618/993-7200 Fax: 618/997-5467



Page 2 of 2

STORMWATER POLLUTION PREVENTION PLAN

McHenry County College Crystal Lake, Illinois

General NPDES Permit No. ILR10 Modification

Illinois Environmental Protection Agency Division of Water Pollution Control 1021 North Grand Avenue East Post Office Box 19276 Springfield, Illinois 62794-9276 www.epa.state.il.us

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM

General NPDES Permit For Storm Water Discharges From Construction Site Activities

Expiration Date:	July 31, 2018	Issue Date:	July 30, 2013
		Effective Date:	August 1, 2013
		Modification Date:	April 30 , 2014

In compliance with the provisions of the Illinois Environmental Protection Act, the Illinois Pollution Control Board Rules and Regulations (35 III. Adm. Code, Subtitle C, Chapter I), and the Clean Water Act, and the regulations thereunder the following discharges are authorized by this permit in accordance with the conditions and attachments herein.

Alan Keller, P.E. Manager, Permit Section Division of Water Pollution Control

Part I. COVERAGE UNDER THIS PERMIT

- A. Permit Area. The permit covers all areas of the State of Illinois with discharges to any waters of the State.
- B. Eligibility.
 - 1. This permit shall authorize all discharges of storm water associated with industrial activity from a construction site that will result in the disturbance of one or more acres total land area or a construction site less than one acre of total land that is a part of a larger common plan of development or sale if the larger common plan will ultimately disturb one or more acres total land area. This permit may authorize discharges from other construction site activities that have been designated by the Agency as having the potential to adversely affect the water quality of waters of the state. This permit also authorizes discharges from construction sites previously approved by the Agency under the previous version of ILR10 that are still occurring after the effective date of this permit, except for discharges identified under Part I.B.3 (Limitations on Coverage). Where discharges from construction sites were initially covered under the previous version of the ILR10, the Storm Water Pollution Prevention Plan must be updated/revised as necessary to ensure compliance with the provision of this reissued ILR10 permit.
 - 2. This permit may only authorize a storm water discharge associated with industrial activity from a construction site that is mixed with a storm water discharge from an industrial source other than construction, where:
 - a. the industrial source other than construction is located on the same site as the construction activity;
 - b. storm water discharges associated with industrial activity from the areas of the site where construction activities are occurring are in compliance with the terms of this permit; and
 - c. storm water discharges associated with industrial activity from the areas of the site where industrial activities other than construction are occurring (including storm water discharges from dedicated asphalt plants and dedicated concrete plants) are covered by a different NPDES general permit or an individual permit authorizing such discharges.

- 3. Limitations on Coverage. The following storm water discharges from construction sites are not authorized by this permit:
 - a. storm water discharges associated with industrial activities that originate from the site after construction activities have been completed and the site has undergone final stabilization;
 - b. discharges that are mixed with sources of non-storm water other than discharges identified in Part III.A (Prohibition on Non-Storm Water Discharges) of this permit and in compliance with paragraph IV.D.5 (Non-Storm Water Discharges) of this permit;
 - c. storm water discharges associated with industrial activity that are subject to an existing NPDES individual or general permit or which are issued a permit in accordance with Part VI.N (Requiring an Individual Permit or an Alternative General Permit) of this permit. Such discharges may be authorized under this permit after an existing permit expires provided the existing permit did not establish numeric limitations for such discharges;
 - d. storm water discharges from construction sites that the Agency has determined to be or may reasonably be expected to be contributing to a violation of a water quality standard; and
 - e. storm water discharges that the Agency, at its discretion, determines are not appropriately authorized or controlled by this general permit.
 - f. storm water discharges to any receiving water specified under 35 III. Adm. Code 302.105(d) (6).

C. Authorization.

- 1. In order for storm water discharges from construction sites to be authorized to discharge under this general permit a discharger must submit a Notice of Intent (NOI) in accordance with the requirements of Part II below, using an NOI form provided by the Agency.
- 2. Where a new contractor is selected after the submittal of an NOI under Part II below, or where site ownership is transferred, a new Notice of Intent (NOI) must be submitted by the owner in accordance with Part II.
- 3. Unless notified by the Agency to the contrary, dischargers who submit an NOI in accordance with the requirements of this permit are authorized to discharge storm water from construction sites under the terms and conditions of this permit in 30 days after the date the NOI is received by the Agency.
- The Agency may deny coverage under this permit and require submittal of an application for an individual NPDES permit based on a review of the NOI or other information.

Part II. NOTICE OF INTENT REQUIREMENTS

A. Deadlines for Notification.

- To receive authorization under this general permit, a discharger must submit a completed Notice of Intent (NOI) in accordance with Part VI.G (Signatory Requirements) and the requirements of this Part in sufficient time to allow a 30 day review period after the receipt of the NOI by the Agency and prior to the start of construction. The completed NOI may be submitted electronically to the following email address: epa.constilr10swppp@illinois.gov
- 2. Discharges that were covered by the previous version of ILR10 are automatically covered by this permit. Where discharges associated with construction activities were initially covered under the previous version of ILR10 and are continuing, the Storm Water Pollution Prevention Plan must be updated/revised within 12 months of the effective date of this reissued permit, as necessary to ensure compliance with the provisions of the reissued ILR10. Updating of the SWPPP is not required if construction activities are completed and a Notice of Termination is submitted within 12 months of the effective date of this permit.
- 3. A discharger may submit an NOI in accordance with the requirements of this Part after the start of construction. In such instances, the Agency may bring an enforcement action for any discharges of storm water associated with industrial activity from a construction site that have occurred on or after the start of construction.
- B. Failure to Notify. Dischargers who fail to notify the Agency of their intent to be covered, and discharge storm water associated with construction site activity to Waters of the State without an NPDES permit are in violation of the Environmental Protection Act and Clean Water Act.
- C. Contents of Notice of Intent. The Notice of Intent shall be signed in accordance with Part VI.G (Signatory Requirements) of this permit by all of the entities identified in paragraph 2 below and shall include the following information:
 - The mailing address, and location of the construction site for which the notification is submitted. Where a mailing address for the site is not available, the location can be described in terms of the latitude and longitude of the approximate center of the facility to the nearest 15 seconds, or the nearest quarter section (if the section, township and range is provided) that the construction site is located in;
 - 2. The owner's name, address, telephone number, and status as Federal, State, private, public or other entity;
 - 3. The name, address and telephone number of the general contractor(s) that have been identified at the time of the NOI submittal;
 - 4. The name of the receiving water(s), or if the discharge is through a municipal separate storm sewer, the name of the municipal operator of the storm sewer and the ultimate receiving water(s);
 - 5. The number of any NPDES permits for any discharge (including non-storm water discharges) from the site that is currently authorized by an NPDES permit;

- 6. A description of the project, detailing the complete scope of the project, estimated timetable for major activities and an estimate of the number of acres of the site on which soil will be disturbed;
- 7. For projects that have complied with State law on historic preservation and endangered species prior to submittal of the NOI, through coordination with the Illinois Historic Preservation Agency and the Illinois Department of Natural Resources or through fulfillment of the terms of interagency agreements with those agencies, the NOI shall indicate that such compliance has occurred.
- 8. An electronic copy of the storm water pollution prevention plan that has been prepared for the site in accordance with Part IV of this permit. The electronic copy shall be submitted to the Agency at the following email address: epa.constilr10swppp@illinois.gov
- 9. Revised notice of intents shall be submitted for any substantial modifications to the project such as: address changes, new contractors, area coverage, additional discharges to waters of the state, or other substantial modifications.

D. Where to Submit.

Construction activities which discharge storm water that requires a NPDES permit must use an NOI form provided by the Agency. The applicable fee shall also be submitted. NOIs must be signed in accordance with Part VI.G (Signatory Requirements) of this permit. The NOI form may be submitted to the Agency in any of the following methods:

1. File electronically with digital signature at the following website address: http://dataservices.epa.illinois.gov/SWConstructionPermit/bowLogin.aspx

Registration specific to the permittee is required in order to file electronically.

2. Submit complete NOI and SWPPP electronically to the following email address: <u>epa.constilr10swppp@illinois.gov</u>. Submit the NOI with original signature and fee by certified mail to the Agency at the following address:

Illinois Environmental Protection Agency Division of Water Pollution Control, Mail Code #15 Attention: Permit Section 1021 North Grand Avenue East Post Office Box 19276 Springfield, Illinois 62794-9276

- E. Additional Notification. Construction activities that are operating under approved local sediment and erosion plans, land disturbance permits, grading plans, or storm water management plans, in addition to filing copies of the Notice of Intent in accordance with Part D above, shall also submit signed copies of the Notice of Intent to the local agency approving such plans in accordance with the deadlines in Part A above. See Part IV.D.2.d (Approved State or Local Plans). A copy of the NOI shall be sent to the entity holding an active General NPDES Permit No. ILR40 if the permittee is located in an area covered by an active ILR40 permit.
- F. Notice of Termination. Where a site has completed final stabilization and all storm water discharges from construction activities that are authorized by this permit are eliminated, the permittee must submit a completed Notice of Termination that is signed in accordance with Part VI.G (Signatory Requirements) of this permit.
 - 1. The Notice of Termination shall include the following information:
 - a. The mailing address, and location of the construction site for which the notification is submitted. Where a mailing address for the site is not available, the location can be described in terms of the latitude and longitude of the approximate center of the facility to the nearest 15 seconds, or the nearest quarter section (if the section, township and range is provided) that the construction site is located in;
 - b. The owner's name, address, telephone number, and status as Federal, State, private, public or other entity;
 - c. The name, address and telephone number of the general contractor(s);
 - d. The date when construction was completed and the site was stabilized; and
 - e. The following certification signed in accordance with Part VI.G (Signatory Requirements) of this permit:

"I certify under penalty of law that all storm water discharges associated with construction site activity from the identified facility that are authorized by NPDES general permit ILR10 have otherwise been eliminated. I understand that by submitting this notice of termination, that I am no longer authorized to discharge storm water associated with construction site activity by the general permit, and that discharging pollutants in storm water associated with construction site activity to Waters of the State is unlawful under the Environmental Protection Act and Clean Water Act where the discharge is not authorized by a NPDES permit. I also understand that the submittal of this notice of termination does not release an operator from liability for any violations of this permit or the Clean Water Act."

For the purposes of this certification, elimination of storm water discharges associated with industrial activity means that all disturbed soils at the identified facility have been finally stabilized and temporary erosion and sediment control measures have been removed or will be removed at an appropriate time, or that all storm water discharges associated with construction activities from the identified site that are authorized by a NPDES general permit have otherwise been eliminated.

2. All Notices of Termination are to be sent to the Agency to the mailing address in Part II.D.1, using the form provided by the Agency, or electronically if the permittee submitted a Notice of Intent by electronic means.

Page 3

Part III. SPECIAL CONDITIONS, MANAGEMENT PRACTICES, AND OTHER NON-NUMERIC LIMITATIONS

A. Prohibition on Non-Storm Water Discharges.

- 1. Except as provided in Part I paragraph B.2 and paragraphs 2, 3 or 4_below, all discharges covered by this permit shall be comprised entirely of storm water.
- 2. a. Except as provided in paragraph b below, discharges of materials other than storm water must be in compliance with a NPDES permit (other than this permit) issued for the discharge.
 - b. The following non-storm water discharges may be authorized by this permit provided the non-storm water component of the discharges is in compliance with Part IV.D.5 (Non-Storm Water Discharges): discharges from fire fighting activities; fire hydrant flushings; waters used to wash vehicles where detergents are not used; waters used to control dust; potable water sources including uncontaminated waterline flushings; landscape irrigation drainages; routine external building washdown which does not use detergents; pavement wash waters where spills or leaks of toxic or hazardous materials have not occurred (unless all spilled material has been removed) and where detergents are not used; uncontaminated air conditioning condensate; springs; uncontaminated ground water; and foundation or footing drains where flows are not contaminated with process materials such as solvents.
- 3. The following non-storm water discharges are prohibited by this permit: concrete and wastewater from washout of concrete (unless managed by an appropriate control), drywall compound, wastewater from washout and cleanout of stucco, paint, form release oils, curing compounds and other construction materials, fuels, oils, or other pollutants used in vehicle and equipment operation and maintenance, soaps, solvents, or detergents, toxic or hazardous substances from a spill or other release, or any other pollutant that could cause or tend to cause water pollution.
- 4. Discharges from dewatering activities, including discharges from dewatering of trenches and excavations, are allowable if managed by appropriate controls.

B. Discharges into Receiving Waters With an Approved Total Maximum Daily Load (TMDL):

Discharges to waters for which there is a TMDL allocation for sediment or a parameter that addresses sediment (such as total suspended solids, turbidity, or siltation) are not eligible for coverage under this permit unless the owner/operator develops and certifies a SWPPP that is consistent with wasteload allocations in the approved TMDL. To be eligible for coverage under this general permit, operators must incorporate into their SWPPP any conditions and/or Best Management Practices applicable to their discharges necessary for consistency with the TMDL within any timeframes established in the TMDL. If a specific numeric waste load allocation has been established that would apply to the project's discharges, the operator must incorporate that allocation into its SWPPP and implement necessary steps to meet that allocation.

Please refer to the Agency website at: http://www.epa.state.il.us/water/tmdl/report-status.html

C. Discharges covered by this permit, alone or in combination with other sources, shall not cause or contribute to a violation of any applicable water quality standard.

Part IV. STORM WATER POLLUTION PREVENTION PLANS

A storm water pollution prevention plan shall be developed for each construction site covered by this permit. Storm water pollution prevention plans shall be prepared in accordance with good engineering practices. The plan shall identify potential sources of pollution which may reasonably be expected to affect the quality of storm water discharges associated with construction site activity from the facility. In addition, the plan shall describe and ensure the implementation of best management practices which will be used to reduce the pollutants in storm water discharges associated with construction site activity and to assure compliance with the terms and conditions of this permit. The permittee_must implement the provisions of the storm water pollution prevention plan required under this part as a condition of this permit.

A. Deadlines for Plan Preparation and Compliance.

The plan shall:

- 1. Be completed prior to the start of the construction activities to be covered under this permit and submitted electronically to the Agency at the time the Notice of Intent is submitted; and
- 2. Provide for compliance with the terms and schedules of the plan beginning with the initiation of construction activities.

B. Signature, Plan Review and Notification.

- 1. The plan shall be signed in accordance with Part VI.G (Signatory Requirements), and be retained at the construction site which generates the storm water discharge in accordance with Part VI.E (Duty to Provide Information) of this permit.
- 2. Prior to commencement of construction, the permittee shall provide the plan to the Agency.
- 3. The permittee shall make plans available upon request from this Agency or a local agency approving sediment and erosion plans, grading plans, or storm water management plans; or in the case of a storm water discharge associated with industrial activity which discharges through a municipal separate storm sewer system. A list of permitted municipal separate storm sewer systems is available at: http://www.epa.state.il.us/water/permits/storm-water/ms4-status-report.pdf
- 4. The Agency may notify the permittee at any time that the plan does not meet one or more of the minimum requirements of this Part. Such notification shall identify those provisions of the permit which are not being met by the plan, and identify which provisions of the plan require modifications in order to meet the minimum requirements of this part. Within 7 days from receipt of notification from the Agency, the permittee shall make the required changes to the plan and shall submit to the Agency a written certification that the requested changes have been made. Failure to comply shall terminate authorization

Page 4

under this permit.

- 5. A copy of the letter of notification of coverage along with the General NPDES Permit for Storm Water Discharges from Construction Site Activities or other indication that storm water discharges from the site are covered under an NPDES permit shall be posted at the site in a prominent place for public viewing (such as alongside a building permit).
- 6. All storm water pollution prevention plans and all completed inspection forms/reports required under this permit are considered reports that shall be available to the public at any reasonable time upon request. However, the permittee may claim any portion of a storm water pollution prevention plan as confidential in accordance with 40 CFR Part 2.
- C. Keeping Plans Current. The permittee shall amend the plan whenever there is a change in design, construction, operation, or maintenance, which has a significant effect on the potential for the discharge of pollutants to Waters of the State and which has not otherwise been addressed in the plan or if the storm water pollution prevention plan proves to be ineffective in eliminating or significantly minimizing pollutants from sources identified under paragraph D.2 below, or in otherwise achieving the general objectives of controlling pollutants in storm water discharges associated with construction site activity. In addition, the plan shall be amended to identify any new contractor and/or subcontractor that will implement a measure of the storm water pollution prevention plan. Amendments to the plan may be reviewed by the Agency in the same manner as Part IV.B above. Any revisions of the documents for the storm water pollution prevention plan shall be kept on site at all times.
- D. Contents of Plan. The storm water pollution prevention plan shall include the following items:
 - 1. Site Description. Each plan shall provide a description of the following:
 - a. A description of the nature of the construction activity or demolition work;
 - b. A description of the intended sequence of major activities which disturb soils for major portions of the site (e.g. clearing, grubbing, excavation, grading, on-site or off-site stockpiling of soils, on-site or off-site storage of materials);
 - c. An estimate of the total area of the site and the total area of the site that is expected to be disturbed by clearing, grubbing, excavation, grading, onsite or off-site stockpiling of soils and storage of materials, or other activities;
 - d. An estimate of the runoff coefficient of the site after construction activities are completed and existing data describing the soil or the quality of any discharge from the site;
 - e. A site map indicating drainage patterns and approximate slopes anticipated before and after major grading activities, locations where vehicles enter or exit the site and controls to prevent offsite sediment tracking, areas of soil disturbance, the location of major structural and nonstructural controls identified in the plan, the location of areas where stabilization practices are expected to occur, locations of on-site or off-site soil stockpiling or material storage, surface waters (including wetlands), and locations where storm water is discharged to a surface water; and
 - f. The name of the receiving water(s) and the ultimate receiving water(s), and areal extent of wetland acreage at the site.
 - 2. Controls. Each plan shall include a description of appropriate controls that will be implemented at the construction site and any off-site stockpile or storage area, The Illinois Urban Manual <u>www.aiswcd.org/IUM</u> or other similar documents shall be used for developing the appropriate management practices, controls or revisions of the plan. The plan will clearly describe for each major activity identified in paragraph D.1 above, appropriate controls and the timing during the construction process that the controls will be implemented. For example, perimeter controls for one portion of the site will be installed after the clearing and grubbing necessary for installation of the measure, but before the clearing and grubbing for the remaining portions of the site. Perimeter controls will be actively maintained and/or repaired until final stabilization of those portions of the site upward of the perimeter control. Temporary perimeter controls will be removed after final stabilization. The description of controls shall address as appropriate the following minimum components:
 - a. Erosion and Sediment Controls. The permittee shall design, install and maintain effective erosion controls and sediment controls to minimize the discharge of pollutants. At a minimum, such controls must be designed, installed and maintained to:
 - (i) Control storm water volume and velocity within the site to minimize soil erosion;
 - (ii) Control storm water discharges, including both peak flowrates and total storm water volume, to minimize erosion at outlets and to minimize downstream channel and streambank erosion;
 - (iii) Minimize the amount of soil exposed during construction activity;
 - (iv) Minimize the disturbance of steep slopes;
 - (v) Minimize sediment discharges from the site. The design, installation and maintenance of erosion and sediment controls must address factors such as the amount, frequency, intensity and duration of precipitation, the nature of resulting storm water runoff, and soil characteristics, including the range of soil particle sizes expected to be present on the site;
 - (vi) Provide and maintain natural buffers around surface waters, direct storm water to vegetated areas to increase sediment removal and maximize storm water infiltration, unless infeasible; and
 - (vii) Minimize soil compaction and, unless infeasible, preserve topsoil.
 - b. Stabilization Practices. The storm water pollution prevention plan shall include a description of interim and permanent stabilization practices, including site-specific scheduling of the implementation of the practices. Site plans should ensure that existing vegetation is preserved where practicable and that disturbed portions of the site are stabilized. Stabilization practices may include: temporarily seeding, permanent seeding, mulching, geotextiles, sod stabilization, vegetative buffer strips, protection of trees, preservation of mature vegetation, staged or staggered development, and other appropriate measures. A record of the dates when major grading activities occur, when construction activities temporarily or permanently cease on a portion of the site, and when stabilization measures are initiated, shall be included in the plan. Stabilization of disturbed areas must, at a minimum, be initiated immediately whenever any clearing, grading, excavating or other earth disturbing activities have permanently ceased on any portion of the site, or temporarily ceased on any portion of the site are stabilized within 1 working day of permanent or temporary cessation of earth disturbing activities and shall be completed as soon as possible but not later than 14 days from the initiation of stabilization work in an area. Exceptions to these time frames are specified as provided in paragraphs (i) and (ii) below:

- (i) Where the initiation of stabilization measures is precluded by snow cover, stabilization measures shall be initiated as soon as practicable.
- (ii) On areas where construction activity has temporarily ceased and will resume after 14 days, a temporary stabilization method can be used. Temporary stabilization techniques and materials shall be described in the SWPPP.
- c. Structural Practices. A description of structural practices utilized to divert flows from exposed soils, store flows or otherwise limit runoff and the discharge of pollutants from exposed areas of the site. Such practices may include silt fences, earth dikes, drainage swales, sediment traps, check dams, subsurface drains, pipe slope drains, level spreaders, storm drain inlet protection, rock outlet protection, reinforced soil retaining systems, gabions, and temporary or permanent sediment basins. Structural practices should be placed on upland soils to the degree practicable. The installation of these devices may be subject to Section 404 of the CWA.
 - (i) The following design requirements apply to sediment basins if such structural practices will be installed to reduce sediment concentrations in storm water discharges:
 - a. When discharging from the sediment basin, utilize outlet structures that withdraw water from the surface in order to minimize the discharge.
 - b. Prevent erosion of the sediment basin using stabilization controls (e.g., erosion control blankets), at the inlet and outlet using erosion controls and velocity dissipation devices:
 - c. Sediment basins shall be designed to facilitate maintenance, including sediment removal from the basins, as necessary.
- d. Use of Treatment Chemicals. Identify the use of all polymer flocculants or treatment chemicals at the site. Dosage of treatment chemicals shall be identified along with any information from any Material Safety Data Sheet. Describe the location of all storage area for chemicals. Include any information from the manufacturer's specifications. Treatment chemicals must be stored in areas where they will not be exposed to precipitation. The SWPPP must describe procedures for use of treatment chemicals and staff responsible for use/application of treatment chemicals must be trained on the established procedures.
- e. Best Management Practices for Impaired Waters. For any site which discharges directly to an impaired water identified on the Agency's website for 303(d) listing for suspended solids, turbidity, or siltation the storm water pollution prevention plan shall be designed for a storm event equal to or greater than a 25-year 24-hour rainfall event. If required by federal regulations or the Illinois Urban Manual, the storm water pollution prevention plan shall adhere to a more restrictive design criteria. Please refer to the Agency's website at: (http://www.epa.state.il.us/water/tmdl/303d-list.html)
- f. **Pollution Prevention**. The permittee shall design, install, implement, and maintain effective pollution prevention measures to minimize the discharge of pollutants. At a minimum, such measures must be designed, installed, implemented and maintained to:
 - a. Minimize the discharge of pollutants from equipment and vehicle washing, wheel wash water, and other wash waters. Wash waters must be treated in a sediment basin or alternative control that provides equivalent or better treatment prior to discharge;
 - (ii) Minimize the exposure of building materials, building products, construction wastes, trash, landscape materials, fertilizers, pesticides, herbicides, detergents, sanitary waste and other materials present on the site to precipitation and to storm water; and
 - (iii) Minimize the discharge of pollutants from spills and leaks and implement chemical spill and leak prevention and response procedures.

g. Other Controls.

- (i) Waste Disposal. No solid materials, including building materials, shall be discharged to Waters of the State, except as authorized by a Section 404 permit.
- (ii) The plan shall ensure and demonstrate compliance with applicable State and/or local waste disposal, sanitary sewer or septic system regulations.
- (iii) For construction sites that receive concrete or asphalt from off-site locations, the plan must identify and include appropriate controls and measures to reduce or eliminate discharges from these activities.
- (iv) The plan shall include spill response procedures and provisions for reporting if there are releases in excess of reportable quantities.
- h. Best Management Practices for Post-Construction Storm Water Management. Describe the measures that will be installed during the construction process to control pollutants in storm water discharges that will occur after construction operations have been completed. Structural measures should be placed on upland soils to the degree attainable. The installation of these devices may be subject to Section 404 of the CWA. This permit only addresses the installation of storm water management measures, and not the ultimate operation and maintenance of such structures after the construction activities have been completed and the site has undergone final stabilization. Permittees are responsible for only the installation and maintenance of storm water management measures prior to final stabilization of the site, and are not responsible for maintenance after storm water discharges associated with industrial activity have been eliminated from the site.
 - (i) While not mandatory, it is advisable that the permittee consider including in its storm water pollution prevention plan and design and construction plans methods of post-construction storm water management to retain the greatest amount of post-development stormwater run-off practicable, given the site and project constraints. Such practices may include but are not limited to: storm water detention structures (including wet ponds); storm water retention structures; flow attenuation by use of open vegetated swales and natural depressions; infiltration of runoff onsite; and sequential systems (which combine several practices). Technical information on many post-construction storm water management practices is included in the Illinois Urban Manual (2012).

The storm water pollution prevention plan shall include an explanation of the technical basis used to select the practices to control pollution where post-construction flows will exceed predevelopment levels.

(ii) Velocity dissipation devices shall be placed at discharge locations and along the length of any outfall channel as necessary to provide a non-erosive velocity flow from the structure to a water course so that the natural physical and biological characteristics and functions are maintained and protected (e.g. maintenance of hydrologic conditions, such as the hydroperiod and hydrodynamics present prior to the initiation of construction activities).

(iii) Unless otherwise specified in the Illinois Urban Manual (2012), the storm water pollution prevention plan shall be designed for a storm event equal to or greater than a 25-year 24-hour rainfall event.

i. Approved State or Local Plans.

- (i) The management practices, controls and other provisions contained in the storm water pollution prevention plan must be at least as protective as the requirements contained in the Illinois Urban Manual, 2012. Construction activities which discharge storm water must include in their storm water pollution prevention plan procedures and requirements specified in applicable sediment and erosion control plans or storm water management plans approved by local officials. Requirements specified in sediment and erosion control plans or site permits or storm water management site plans or site permits approved by local officials that are applicable to protecting surface water resources are, upon submittal of an NOI to be authorized to discharge under this permit, incorporated by reference and are enforceable under this permit. The plans shall include all requirements of this permit and include more stringent standards required by any local approval. This provision does not apply to provisions of master plans, comprehensive plans, non-enforceable guidelines or technical guidance documents that are not identified in a specific plan or permit that is issued for the construction site.
- (ii) Dischargers seeking alternative permit requirements are not authorized by this permit and shall submit an individual permit application in accordance with 40 CFR 122.26 at the address indicated in Part II.D (Where to Submit) of this permit, along with a description of why requirements in approved local plans or permits should not be applicable as a condition of an NPDES permit.

3. Maintenance.

- a. The plan shall include a description of procedures to maintain in good and effective operating conditions, all erosion and sediment control measures and other Best Management Practices, including vegetation and other protective measures identified in the Storm Water Pollution Prevention Plan.
- b. Where a basin has been installed to control sediment during construction activities, the Permittees shall keep the basin(s) in effective operating condition and remove accumulated sediment as necessary.
- 4. Inspections. Qualified personnel (provided by the permittee) shall inspect disturbed areas of the construction site that have not been finally stabilized, structural control measures, and locations where vehicles enter or exit the site at least once every seven calendar days and within 24 hours of the end of a storm or by the end of the following business or work day that is 0.5 inches or greater. Qualified personnel means a person knowledgeable in the principles and practices of erosion and sediment controls measures, such as a licensed Professional Engineer (P.E.), a Certified Professional in Erosion and Sediment Control (CPESC), a Certified Erosion Sediment and Storm Water Inspector (CESSWI) or other knowledgeable person who possesses the skills to assess conditions at the construction site that could impact storm water quality and to assess the effectiveness of any sediment and erosion control measures selected to control the quality of storm water discharges from the construction activities.
 - a. Inspections may be reduced to once per month when construction activities have ceased due to frozen conditions. Weekly inspections will recommence when construction activities are conducted, or if there is 0.5" or greater rain event, or a discharge due to snowmelt occurs.
 - b. Disturbed areas and areas used for storage of materials that are exposed to precipitation shall be inspected for evidence of, or the potential for, pollutants entering the drainage system. Erosion and sediment control measures identified in the plan shall be observed to ensure that they are operating correctly. Where discharge locations or points are accessible, they shall be inspected to ascertain whether erosion control measures are effective in preventing significant impacts to receiving waters. Locations where vehicles enter or exit the site shall be inspected for evidence of offsite sediment tracking.
 - c. Based on the results of the inspection, the description of potential pollutant sources identified in the storm water pollution prevention_plan in accordance with Part IV.D.1 (Site Description) of this permit and the pollution prevention control measures identified in the plan in accordance with Part IV.D.2 (Controls) of this permit shall be revised as appropriate as soon as practicable after such inspection to minimize the potential for such discharges. Such modifications shall provide for timely implementation of any changes to the plan and pollution prevention control measures within 7 calendar days following the inspection.
 - d. A report summarizing the scope of the inspection, name(s) and qualifications of personnel making the inspection, the date(s) of the inspection, major observations relating to the implementation of the storm water pollution prevention plan, and actions taken in accordance with paragraph b above shall be made and retained as part of the storm water pollution prevention plan for at least three years from the date that the permit coverage expires or is terminated. All inspection reports shall be retained at the construction site. The report shall be signed in accordance with Part VI.G (Signatory Requirements) of this permit.
 - e. The permittee shall notify the appropriate Agency Field Operations Section office by email at: <u>epa.swnoncomp@illinois.gov</u>, telephone or fax within 24 hours of any incidence of noncompliance for any violation of the storm water pollution prevention plan observed during any inspection conducted, or for violations of any condition of this permit. The permittee shall complete and submit within 5 days an "Incidence of Noncompliance" (ION) report for any violation of the storm water pollution prevention plan observed during any inspection of this permit. Submission shall be on forms provided by the Agency and include specific information on the cause of noncompliance, actions which were taken to prevent any further causes of noncompliance, and a statement detailing any environmental impact which may have resulted from the noncompliance. Corrective actions must be undertaken immediately to address the identified non-compliance issue(s).
 - f. All reports of noncompliance shall be signed by a responsible authority as defined in Part VI.G (Signatory Requirements).

g. After the initial contact has been made with the appropriate Agency Field Operations Section Office, all reports of noncompliance shall be mailed to the Agency at the following address:

Illinois Environmental Protection Agency Division of Water Pollution Control Compliance Assurance Section 1021 North Grand Avenue East Post Office Box 19276 Springfield, Illinois 62794-9276

- 5. Non-Storm Water Discharges. Except for flows from fire fighting activities, sources of non-storm water listed in Part III.A.2 of this permit that are combined with storm water discharges associated with industrial activity must be identified in the plan. The plan shall identify and insure the implementation of appropriate pollution prevention measures for the non-storm water component(s) of the discharge.
- E. Additional requirements for storm water discharges from industrial activities other than construction, including dedicated asphalt plants, and dedicated concrete plants. This permit may only authorize any storm water discharge associated with industrial activity from a construction site that is mixed with a storm water discharge from an industrial source other than construction, where:
 - 1. The industrial source other than construction is located on the same site as the construction activity;
 - 2. Storm water discharges associated with industrial activity from the areas of the site where construction activities are occurring are in compliance with the terms of this permit; and
 - 3. Storm water discharges associated with industrial activity from the areas of the site where industrial activity other than construction are occurring (including storm water discharges from dedicated asphalt plants [other than asphalt emulsion facilities] and dedicated concrete plants) are in compliance with the terms, including applicable NOI or application requirements, of a different NPDES general permit or individual permit authorizing such discharges.

F. Contractors.

- 1. The storm water pollution prevention plan must clearly identify for each measure identified in the plan, the contractor(s) or subcontractor(s) that will implement the measure. All contractors and subcontractors identified in the plan must sign a copy of the certification statement in paragraph 2 below in accordance with Part VI.G (Signatory Requirements) of this permit. All certifications must be included in the storm water pollution prevention plan except for owners that are acting as contractors.
- Certification Statement. All contractors and subcontractors identified in a storm water pollution prevention plan in accordance with paragraph 1 above shall sign a copy of the following certification statement before conducting any professional service at the site identified in the storm water pollution prevention plan:

"I certify under penalty of law that I understand the terms and conditions of the general National Pollutant Discharge Elimination System (NPDES) permit (ILR10) that authorizes the storm water discharges associated with industrial activity from the construction site identified as part of this certification."

The certification must include the name and title of the person providing the signature in accordance with Part VI.G of this permit: the name, address and telephone number of the contracting firm; the address (or other identifying description) of the site; and the date the certification is made.

Part V. RETENTION OF RECORDS

- A. The permittee shall retain copies of storm water pollution prevention plans and all reports and notices required by this permit, records of all data used to complete the Notice of Intent to be covered by this permit and the Agency Notice of Permit Coverage letter for a period of at least three years from the date that the permit coverage expires or is terminated. This period may be extended by request of the Agency at any time.
- B. The permittee shall retain a copy of the storm water pollution prevention plan and any revisions to said plan required by this permit at the construction site from the date of project initiation to the date of final stabilization.

Part VI. STANDARD PERMIT CONDITIONS

- A. Duty to Comply. The permittee must comply with all conditions of this permit. Any permit noncompliance constitutes a violation of the Illinois Environmental Protection Act and the CWA and is grounds for enforcement action; for permit termination, revocation and reissuance, or modification; or for denial of a permit renewal application. Failure to obtain coverage under this permit or an individual permit for storm water releases associated with construction activities is a violation of the Illinois Environmental Protection Act and the CWA.
- B. Continuation of the Expired General Permit. This permit expires five years from the date of issuance. An expired general permit continues in force and effect until a new general permit or an individual permit is issued. Only those construction activities authorized to discharge under the expiring general permit are covered by the continued permit.
- C. Need to halt or reduce activity not a defense. It shall not be a defense for a permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit.
- D. Duty to Mitigate. The permittee shall take all reasonable steps to minimize or prevent any discharge in violation of this permit which has a reasonable likelihood of adversely affecting human health or the environment.

Page 9

NPDES Permit No. ILR10

- E. Duty to Provide Information. The permittee shall furnish within a reasonable time to the Agency or local agency approving sediment and erosion control plans, grading plans, or storm water management plans; or in the case of a storm water discharge associated with industrial activity which discharges through a municipal separate storm sewer system with an NPDES permit, to the municipal operator of the system, any information which is requested to determine compliance with this permit. Upon request, the permittee shall also furnish to the Agency or local agency approving sediment and erosion control plans, grading plans, or storm water management plans; or in the case of a storm water discharge associated with industrial activity which discharges through a municipal separate storm sever system with an NPDES permit, to the municipal operator of the system, copies of all records required to be kept by this permit.
- F. Other Information. When the permittee becomes aware that he or she failed to submit any relevant facts or submitted incorrect information in the Notice of Intent or in any other report to the Agency, he or she shall promptly submit such facts or information.
- G. Signatory Requirements. All Notices of Intent, storm water pollution prevention plans, reports, certifications or information either submitted to the Agency or the operator of a large or medium municipal separate storm sewer system, or that this permit requires be maintained by the permittee, shall be signed.
 - 1. All Notices of Intent shall be signed as follows:
 - a. For a corporation: by a responsible corporate officer. For the purpose of this section, a responsible corporate officer means: (1) a president, secretary, treasurer, or vice-president of the corporation in charge of a principal business function, or any other person who performs similar policy or decision-making functions for the corporation; or (2) any person authorized to sign documents that has been assigned or delegated said authority in accordance with corporate procedures;
 - b. For a partnership or sole proprietorship: by a general partner or the proprietor, respectively; or
 - c. For a municipality, State, Federal, or other public agency: by either a principal executive officer or ranking elected official. For purposes of this section, a principal executive officer of a Federal agency includes (1) the chief executive officer of the agency, or (2) a senior executive officer having responsibility for the overall operations of a principal geographic unit of the agency.
 - 2. All reports required by the permit and other information requested by the Agency shall be signed by a person described above or by a duly authorized representative of that person. A person is a duly authorized representative only if:
 - a. The authorization is made in writing by a person described above and submitted to the Agency.
 - b. The authorization specifies either an individual or a position having responsibility for the overall operation of the regulated facility or activity, such as the position of manager, operator, superintendent, or position of equivalent responsibility or an individual or position having overall responsibility for environmental matters for the company. (A duly authorized representative may thus be either a named individual or any individual occupying a named position).
 - c. Changes to Authorization. If an authorization under Part I.C (Authorization) is no longer accurate because a different individual or position has responsibility for the overall operation of the construction site, a new authorization satisfying the requirements of Part I.C must be submitted to the Agency prior to or together with any reports, information, or applications to be signed by an authorized representative.
 - d. Certification. Any person signing documents under this Part shall make the following certification:

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

- H. Penalties for Falsification of Reports. Section 309(c)(4) of the Clean Water Act provides that any person who knowingly makes any false material statement, representation, or certification in any record or other document submitted or required to be maintained under this permit, including reports of compliance or noncompliance shall, upon conviction, be punished by a fine of not more than \$10,000, or by imprisonment for not more than 2 years, or by both. Section 44(j)(4) and (5) of the Environmental Protection Act provides that any person who knowingly makes any false statement, representation, or certification in an application form, or form pertaining to a NPDES permit commits a Class A misdemeanor, and in addition to any other penalties provided by law is subject to a fine not to exceed \$10,000 for each day of violation.
- I. Penalties for Falsification of Monitoring Systems. The CWA provides that any person who falsifies, tampers with, or knowingly renders inaccurate any monitoring device or method required to be maintained under this permit shall, upon conviction, be punished by fines and imprisonment described in Section 309 of the CWA. The Environmental Protection Act provides that any person who knowingly renders inaccurate any monitoring device or record required in connection with any NPDES permit or with any discharge which is subject to the provisions of subsection (f) of Section 12 of the Act commits a Class A misdemeanor, and in addition to any other penalties provided by law is subject to a fine not to exceed \$10,000 for each day of violation.
- J. Oil and Hazardous Substance Liability. Nothing in this permit shall be construed to preclude the institution of any legal action or relieve the permittee from any responsibilities, liabilities, or penalties to which the permittee is or may be subject under section 311 of the CWA.
- K. **Property Rights**. The issuance of this permit does not convey any property rights of any sort, nor any exclusive privileges, nor does it authorize any injury to private property nor any invasion of personal rights, nor any infringement of Federal, State or local laws or regulations.
- L. Severability. The provisions of this permit are severable, and if any provision of this permit, or the application of any provision of this permit to any circumstance, is held invalid, the application of such provision to other circumstances, and the remainder of this permit shall not be affected thereby.
- M. Transfers. This permit is not transferable to any person except after notice to the Agency. The Agency may require the discharger to apply for and obtain an individual NPDES permit as stated in Part I.C (Authorization).
- N. Requiring an Individual Permit or an Alternative General Permit.

Page 10

NPDES Permit No. ILR10

- 1. The Agency may require any person authorized by this permit to apply for and/or obtain either an individual NPDES permit or an alternative NPDES general permit. Any interested person may petition the Agency to take action under this paragraph. Where the Agency requires a discharger authorized to discharge under this permit to apply for an individual NPDES permit, the Agency shall notify the discharger in writing that a permit application is required. This notification shall include a brief statement of the reasons for this decision, an application form, a statement setting a deadline for the discharger to file the application, and a statement that on the effective date of the individual NPDES permit or the alternative general permit as it applies to the individual permittee, coverage under this general permit shall automatically terminate. Application upon request of the applicant. If a discharger fails to submit in a timely manner an individual NPDES permit application as required by the Agency under this paragraph, then the applicability of this permit to the individual NPDES permit to the individual NPDES permit or the application upon request of the application. If a discharger fails to submit in a timely manner an individual NPDES permit application as required by the Agency under this paragraph, then the applicability of this permit to the individual NPDES permit besond at the end of the day specified by the Agency for application submittal. The Agency may require an individual NPDES permit based on:
 - a. information received which indicates the receiving water may be of particular biological significance pursuant to 35 III. Adm. Code 302.105(d)(6);
 - b. whether the receiving waters are impaired waters for suspended solids, turbidity or siltation as identified by the Agency's 303(d) listing;
 - c. size of construction site, proximity of site to the receiving stream, etc.

The Agency may also require monitoring of any storm water discharge from any site to determine whether an individual permit is required.

- 2. Any discharger authorized by this permit may request to be excluded from the coverage of this permit by applying for an individual permit. In such cases, the permittee shall submit an individual application in accordance with the requirements of 40 CFR 122.26(c)(1)(ii), with reasons supporting the request, to the Agency at the address indicated in Part II.D (Where to Submit) of this permit. The request may be granted by issuance of any individual permit or an alternative general permit if the reasons cited by the permittee are adequate to support the request.
- 3. When an individual NPDES permit is issued to a discharger otherwise subject to this permit, or the discharger is authorized to discharge under an alternative NPDES general permit, the applicability of this permit to the individual NPDES permittee is automatically terminated on the effective date of the individual permit or the date of authorization of coverage under the alternative general permit, whichever the case may be. When an individual NPDES permit is denied to a discharger otherwise subject to this permit or the discharger is denied for coverage under an alternative NPDES general permit, the applicability of this permit or the discharger is denied for coverage under an alternative NPDES general permit, the applicability of this permit to the individual NPDES permittee remains in effect, unless otherwise specified by the Agency.
- O. State/Environmental Laws. No condition of this permit shall release the permittee from any responsibility or requirements under other environmental statutes or regulations.
- P. Proper Operation and Maintenance. The permittee shall at all times properly operate and maintain all construction activities and systems of treatment and control (and related appurtenances) which are installed or used by the permittee to achieve compliance with the conditions of this permit and with the requirements of storm water pollution prevention plans. Proper operation and maintenance also includes adequate laboratory controls and appropriate quality assurance procedures. Proper operation and maintenance requires the operation of backup or auxiliary facilities or similar systems, installed by a permittee only when necessary to achieve compliance with the conditions of the permit.
- Q. Inspection and Entry. The permittee shall allow the IEPA, or an authorized representative upon presentation of credentials and other documents as may be required by law, to:
 - 1. Enter upon the permittee's premises where a regulated construction activity is located or conducted, or where records must be kept under the conditions of this permit;
 - 2. Have access to and copy at reasonable times, any records that must be kept under the conditions of this permit;
 - 3. Inspect at reasonable times any facilities, equipment (including monitoring and control equipment), practices, or operations regulated or required under this permit; and
 - 4. Sample or monitor at reasonable times, for the purposes of assuring permit compliance or as otherwise authorized by the Clean Water Act, any substances or parameters at any location.
- R. Permit Actions. This permit may be modified, revoked and reissued, or terminated for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or termination, or a notification of planned changes or anticipated noncompliance does not stay any permit condition.
- S. Bypasses and Upsets. The provisions of 40 CFR Section 122.41(m) & (n) are applicable and are hereby incorporated by reference.

Part VII. REOPENER CLAUSE

- A. If there is evidence indicating potential or realized impacts on water quality due to any storm water discharge associated with industrial activity covered by this permit, the discharger may be required to obtain an individual permit or an alternative general permit in accordance with Part I.C (Authorization) of this permit or the permit may be modified to include different limitations and/or requirements.
- B. Permit modification or revocation will be conducted according to provisions of 35 III. Adm. Code, Subtitle C, Chapter I and the provisions of 40 CFR 122.62, 122.63, 122.64 and 124.5 and any other applicable public participation procedures.
- C. The Agency will reopen and modify this permit under the following circumstances:
 - 1. the U.S. EPA amends its regulations concerning public participation;
 - 2. a court of competent jurisdiction binding in the State of Illinois or the 7th Circuit Court of Appeals issues an order necessitating a modification of public participation for general permits; or
 - 3. to incorporate federally required modifications to the substantive requirements of this permit.

Part VIII. DEFINITIONS

"Agency" means the Illinois Environmental Protection Agency.

"Best Management Practices" ("BMPs") means schedules of activities, prohibitions of practices, maintenance procedures, and other management practices to prevent or reduce the pollution of waters of the United States. BMPs also include treatment requirements, operating procedures, and practices to control construction site runoff, spillage or leaks, sludge or waste disposal, or drainage from raw material storage.

"Commencement of Construction or Demolition Activities" The initial disturbance of soils associated with clearing, grading, or excavating activities or other construction or demolition activities.

"Construction Activities" Earth disturbing activities, such as clearing, grading and excavation of land. For purposes of this permit, construction activities also means construction site, construction site activities, or site. Construction activities also include any demolition activities at a site.

"CWA" means Clean Water Act (formerly referred to as the Federal Water Pollution Control Act or Federal Water Pollution Control Act Amendments of 1972) Pub. L. 92-500, as amended Pub. L. 95-217, Pub. L. 95-576, Pub. L. (96-483 and Pub. L. 97-117, 33 U.S.C. 1251 et seq.).

"Dedicated portable asphalt plant" A portable asphalt plant that is located on or contiguous to a construction site and that provides asphalt only to the construction site that the plant is located on or adjacent to. The term dedicated portable asphalt plant does not include facilities that are subject to the asphalt emulsion effluent limitation guideline at 40 CFR 443.

"Dedicated portable concrete plant" A portable concrete plant that is located on or contiguous to a construction site and that provides concrete only to the construction site that the plant is located on or adjacent to.

"Dedicated sand or gravel operation" An operation that produces sand and/or gravel for a single construction project.

"Director" means the Director of the Illinois Environmental Protection Agency or an authorized representative.

"Final Stabilization" means that all soil disturbing activities at the site have been completed, and either of the two following conditions are met:

- (i) A uniform (e.g., evenly distributed, without large bare areas) perennial vegetative cover with a density of 70 percent of the native background vegetative cover for the area has been established on all unpaved areas and areas not covered by permanent structures, or
- (ii) Equivalent permanent stabilization measures (such as the use of riprap, gabions, or geotextiles) have been employed.

For individual lots in residential construction, final stabilization means that either:

- (i) The homebuilder has completed final stabilization as specified above, or
- (ii) The homebuilder has established temporary stabilization including perimeter controls for an individual lot prior to occupation of the home by the homeowner and informing the homeowner of the need for, and benefits of, final stabilization.

"Large and Medium municipal separate storm sewer system" means all municipal separate storm sewers that are either:

- (i) Located in an incorporated place (city) with a population of 100,000 or more as determined by the latest Decennial Census by the Bureau of Census (these cities are listed in Appendices F and G of 40 CFR Part 122); or
- (ii) Located in the counties with unincorporated urbanized populations of 100,000 or more, except municipal separate storm sewers that are located in the incorporated places, townships or towns within such counties (these counties are listed in Appendices H and I of 40 CFR Part 122); or
- (iii) Owned or operated by a municipality other than those described in paragraph (i) or (ii) and that are designated by the Director as part of the large or medium municipal separate storm sewer system.

"NOI" means notice of intent to be covered by this permit (see Part II of this permit.)

"Point Source" means any discernible, confined, and discrete conveyance, including but not limited to, any pipe, ditch, channel, tunnel, conduit, well, discrete fissure, container, rolling stock, concentrated animal feeding operation, landfill leachate collection system, vessel or other floating craft from which pollutants are or may be discharges. This term does not include return flows from irrigated agriculture or agricultural storm water runoff.

"Runoff coefficient" means the fraction of total rainfall that will appear at the conveyance as runoff.

"Storm Water" means storm water runoff, snow melt runoff, and surface runoff and drainage.

"Storm Water Associated with Industrial Activity" means the discharge from any conveyance which is used for collecting and conveying storm water and which is directly related to manufacturing, processing or raw materials storage areas at an industrial plant. The term does not include discharges from facilities or activities excluded from the NPDES program. For the categories of industries identified in subparagraphs (i) through (x) of this subsection, the term includes, but is not limited to, storm water discharges from industrial plant yards; immediate access roads and rail lines used or traveled by carriers of raw materials, manufactured products, waste material, or by-products used or created by the facility; material handling sites; refuse sites; sites used for the application or disposal of process waste waters (as defined at 40 CFR 401); sites used for the storage and maintenance of material handling equipment; sites used for residual treatment, storage, or disposal; shipping and receiving areas; manufacturing buildings; storage areas (including tank farms) for raw materials, and intermediate and finished products; and areas where industrial activity has taken place in the past and significant materials remain and are exposed to storm water. For the categories of industries identified in subparagraph (xi), the term includes only storm water discharges from all areas.

Page 12

NPDES Permit No. ILR10

sentence (except access roads) where material handling equipment or activities, raw materials, intermediate products, final products, waste materials, by-products, or industrial machinery are exposed to storm water. For the purposes of this paragraph, material handling activities include the storage, loading and unloading, transportation, or conveyance of any raw material, intermediate product, finished product, by-product or waste product. The term excludes areas located on plant lands separate from the plant's industrial activities, such as office buildings and accompanying parking lots as long as the drainage from the excluded areas is not mixed with storm water drained from the above described areas. Industrial facilities (including industrial facilities that are Federally or municipally owned or operated that meet the description of the facilities listed in this paragraph (i)- (xi)) include those facilities designated under 40 CFR 122.26(a)(1)(v). The following categories of facilities are considered to be engaging in "industrial activity" for purposes of this subsection:

- Facilities subject to storm water effluent limitations guidelines, new source performance standards, or toxic pollutant effluent standards under 40 CFR Subchapter N (except facilities with toxic pollutant effluent standards which are exempted under category (xi) of this paragraph);
- (ii) Facilities classified as Standard Industrial Classifications 24 (except 2434), 26 (except 265 and 267), 28, 29, 311, 32, 33, 3441, 373;
- (iii) Facilities classified as Standard Industrial Classifications 10 through 14 (mineral industry) including active or inactive mining operations (except for areas of coal mining operations meeting the definition of a reclamation area under 40 CFR 434.11(I)) and oil and gas exploration, production, processing, or treatment operations, or transmission facilities that discharge storm water contaminated by contact with or that has come into contact with, any overburden, raw material, intermediate products, finished products, byproducts or waste products located on the site of such operations; inactive mining operations are mining sites that are not being actively mined, but which have an identifiable owner/operator;
- (iv) Hazardous waste treatment, storage, or disposal facilities, including those that are operating under interim status or a permit under Subtitle C of RCRA;
- Landfills, land application sites, and open dumps that have received any industrial wastes (waste that is received from any of the facilities described under this subsection) including those that are subject to regulation under Subtitle D of RCRA;
- (vi) Facilities involved in the recycling of materials, including metal scrapyards, battery reclaimers, salvage yards, and automobile junkyards, including but limited to those classified as Standard Industrial Classification 5015 and 5093;
- (vii) Steam electric power generating facilities, including coal handling sites;
- (viii) Transportation facilities classified as Standard Industrial Classifications 40, 41, 42, 44, and 45 which have vehicle maintenance shops, equipment cleaning operations, or airport deicing operations. Only those portions of the facility that are either involved in vehicle maintenance (including vehicle rehabilitation, mechanical repairs, painting, fueling, and lubrication), equipment cleaning operations, airport deicing operations, or which are otherwise identified under subparagraphs (i)-(vii) or (ix)-(xi) of this subsection are associated with industrial activity;
- (ix) Treatment works treating domestic sewage or any other sewage sludge or wastewater treatment device or system, used in the storage treatment, recycling, and reclamation of municipal or domestic sewage, including land dedicated to the disposal of sewage sludge that are located within the confines of the facility, with a design flow of 1.0 mgd or more, or required to have an approved pretreatment program under 40 CFR 403. Not included are farm lands, domestic gardens or lands used for sludge management where sludge is beneficially reused and which are not physically located in the confines of the facility, or areas that are in compliance with 40 CFR 503;
- (x) Construction activity including clearing, grading and excavation activities except: operations that result in the disturbance of less than one acre of total land area which are not part of a larger common plan of development or sale unless otherwise designated by the Agency pursuant to **Part I.**B.1.
- (xi) Facilities under Standard Industrial Classifications 20, 21, 22, 23, 2434, 25, 265, 267, 27, 283, 31 (except 311), 34 (except 3441), 35, 36, 37 (except 373), 38, 39, 4221-25, (and which are not otherwise included within categories (i)-(x)).

"<u>Waters</u>" mean all accumulations of water, surface and underground, natural, and artificial, public and private, or parts thereof, which are wholly or partially within, flow through, or border upon the State of Illinois, except that sewers and treatment works are not included except as specially mentioned; provided, that nothing herein contained shall authorize the use of natural or otherwise protected waters as sewers or treatment works except that in-stream aeration under Agency permit is allowable.

"Work day" for the purpose of this permit, a work day is any calendar day on which construction activities will take place.

ILR10JCH docs/miscdocs/hutton/(IERGmodificationILR10permit 1-17-2014).jch.



ILLINOIS ENVIRONMENTAL PROTECTION AGENCY

1021 NORTH GRAND AVENUE EAST, P.O. BOX 19276, SPRINGFIELD, ILLINOIS 62794-9276 . (217) 782-2829

217/782-0610

03/02/2016

MCHENRY COUNTY COLLEGE TODD WHEELAND 8900 U.S. HIGHWAY 14 CRYSTAL LAKE, IL 60012

RE: FACILITY: POND RESTORATION MCHENRY COLLEGE CRYSTAL LAKE, IL COUNTY: MCHENRY NPDES Permit No:ILR10W323 Notice of Coverage Under Construction Site Activity Storm Water General Permit

Dear NPDES Permittee:

We have reviewed your application and determined that storm water discharges associated with industrial activity from construction sites are appropriately covered by the attached General NPDES Permit issued by the Agency. Your discharge is covered by this permit effective as of the date of this letter or as identified by the conditions of the permit. The Permit as issued covers application requirements, a storm water pollution prevention plan and reporting requirements.

As a Permit Holder, it is your responsibility to:

- 1. Submit a modified Notice of Intent of any ownership or address change to the Permit Section within 30 days;
- <u>A Notice of Termination</u> must be sent to the Agency, at the address indicated on the Notice of Termination, once your construction project has been <u>completed and the site is properly stabilized</u>. A Notice of Termination form has been enclosed for your convenience;

This letter shows your facility permit number below the construction site name. Please save this number and reference it in all future correspondence. Should you have any questions concerning the Permit, please contact Cathy Demeroukas at (217) 782-0610.

Very truly yours,

Kollo.

Alan Keller, P.E. Manager, Permit Section Division of Water Pollution Control

CC: Records Unit McHenry County SWCD , HR Green, Region: DesPlaines

4302 M. Main St., Roskford, IL 61103 (815)987-7760 595 S. State, Eigin, IL 60123 (847)608-3131 2125 S. First St., Champaign, IL 61620 (217)278-5800 2009 Mail St., Collinsville, IL 62234 (618)346-5120 9511 Harrison St., Das Plainas, IL 60016 (847)294-4000 5407 N. University St., Arbor 113, Peoria, IL 61614 (309)693-5462 2309 W. Main St., Suite 116, Marion, IL 62959 (616)993-7200 100 W. Randolph, Suite 11-300, Chicago, IL 60601 (312)814-5026

FLEASE FRINT ON RECYCLED PAFER